



**INDOOR  
OUTDOOR**

**6<sup>TH</sup> EDITION**

**LIGHT  
IN ITS BEST FORM**

**2022  
CATALOG**  
W.E.F 15th FEB, 2022





LIGHTING  
TECHNOLOGY  
AT ITS BEST



Established in 1997 **Light Form Industries** as manufacturing company certified with ISO-9000-2000 adapting E.H.S norms and sigma 6 quality assurance for manufacturing and branding for lighting companies. In year 2001 company started its own brand "LUMINAC" with Light Form Marketing visualizing and understanding for customer concept and choice on fast changing lighting sources and luminaire designs.

The challenging art of minimalism, where every tiny detail is accounted for, inspired us to create our new product line with unprecedented aesthetic value and at the same time, profound functionality. Our International design team is working fanatically to develop our product range with best light performance focussing on each element from the whole concept to the tiniest detail.

LUMINAC series, with more than 500 selection, can answer all possible lighting demands. Our products are made with care for each detail designed to decorate indoor and outdoor spaces, offering best lighting solutions according to modern tendencies. Being a veteran company, we are focussing on most advanced LED technology, innovative solutions and fashionable design. For a short period of time, LUMINAC series has already conquered the hearts of thousands of designers and architects providing best lighting experience and knowledge to meet the functional and aesthetic needs.

We are a proud example of the **Make in India initiative**, with air for innovation and a profound appreciation of any architectural project. For the last two decades, we have been focussing on realizing new technical objectives and increasing product performance, with a particular attention on our human capital, a team of highly trained, motivated people.

## ABOUT US



# TABLE OF CONTENT

# INDOOR

Premium Front Lit Smd Recessed Downlights	07 - 08
Eco Front Lit Recessed Smd Downlights	09
Deep Recessed Back Lit Smd Downlights	10
Low Height Back Lit Slim Smd Downlights	11
Compact Deep Recessed Smd Downlights	11
Smd Downlights Front Lit	12
Side Lit Panels Recessed	12-13
Surface Slim Smd Side Lit Panels	13-14
Coral Series Back Lit Surface Panels	14-15
Clean Room Luminaires	15-16
Recessed Panels Backlit	16-17
Surface Panels Backlit	17-18
Cob Recessed Downlights	18-25
Pinspot Series	26
Grille Light Series	26
Linear Blade Series	27
Front Maintenance Linear Series	27
Front Maintenance Adjustable Linear Series	28
Slim Linear Series	28
Turbo Series	29-30
COB Trimless Downlights	31
Semi COB Trimless Downlights	31
Wallwasher Cob Recessed	32-33
Titanium Series	34
Cob Compact Spots Recessed	35
Track Lights	35-36
Waterproof Recessed Fixture	37
Reflector Cob Downlights	38
Surface Ceiling Smd	39-40
Surface Cob Downlights	41-44
Surface Adjustable Cob	45
Steplights	46
Magnetic Track Series & Accessories	46-48
Aluminium Profiles	49-51
High Bay Series	52
Linear Suspended Lighting	53-55
Wall Lights	56-60
Mirrorlights	61-63
Picture Lights	63
Side Reading Lights	64
Commercial Pendant Lights	64-66
LED Strips	66-67
12V Constant Voltage Drivers	67
Decorative Lights	68-72



# TABLE OF CONTENT

# OUTDOOR

Bollards	74-78
Gate Lights	79-80
Heritage Gate Lights	81
Heritage Outdoor Hanging	81
Wall Lights	82-86
Heritage Wall Lights	87
Column Wall Lights / Directional	88-90
Inground Burials	91
Shrub Uplighters	92
Steplights Recessed	93
Steplights Surface	94
Ceiling Surface	95
Street Lights	96-97
Flood Lights	98
Underwater Lights	99
Post Top Lanterns	100-101
Led Poles	102
Architectural Streetlight Heads	103
Modular Led Poles	104-105
Architectural Poles	106-107


**1. Lumen {Unit: lm}**

Lumen is the international (SI) unit of luminous flux, a measure of overall light emitted by a light source.




**2. Beam Angle {Unit: degree}**

Beam angle is the angle between two directions for which the luminous intensity is 50% of the maximum intensity as measured in a plan through the nominal beam centerline. Beam angle of a bulb gives an idea of how the light beam spreads away from the beam center.



**3. Light Colour Temperature {Unit: Kelvin}**

A black-Body radiator will have a different color when it is heated up to different temperatures (in Kelvin). The temperature at which the heated black-body radiator matches the color of the light source is the color temperature of the light source.



**4. LUX {Unit: lx}**


Lux is the international (SI) unit of illuminance, a measure of light arriving at a surface, 1 lumen per square foot equals 1 foot-candle, while 1 lumen per square meter equals 1 lux .[lux = lumen/m2]

**5. Driver**

Electronics used to power the illumination sources.



LED DRIVER by Luminac



**6. Light Emitting Diode (LED)**

A solid-state semiconductor device converting electrical energy directly into light.

**7. Colour Rendering Index (CRI)**

Colour rendering index ranges from 0-100, measures a light source's ability to reproduce the color of various objects being lit by a reference light source, black body radiator (CRI=100)

**8. Kelvin**

The unit of measurement of colour temperature and correlated colour temperature.

**9. Tunable & Dimmable**

LEDs are completely/fully dimmable, in fact LED life enhances when dim. Generally LED can be dimmed with PWM technique and 4 dimming protocol available in market detail below.

- A. Triac / Phase cut dimmable (Leading OR trailing edge dimmable)
- B. 1-10V DC Analogue dimming
- C. DSI dimming – Digital signal interface or can be dim via push button individual or in group.
- D. DALI dimming – Digitally address lighting interface.

**10. IES**

Derives from the acronym for the Illuminating Engineering Society of North America (IESNA). IES files are assigned the file extension ".ies". Used by lighting designers to model the illumination performance of a lighting scheme using commercial lighting design software. An IES file is commonly referred to as "photometric data" for a luminaire.

### 11. LED Driver

LUMINAC Fixtures are powered by Fulham / Eaglerise which are leading LED driver manufacturing companies in the world. LED drivers are constant current which ensure proper current to each luminaire. They offer two year warranty on the drivers.

### 12. COB - Light Source

COB, commonly known as Chip on board (multi chip on board) it's a technology of LED packaging for LED Light engine. COBs are known for reduce thermal resistance for better conductivity.

### 13. Design

LED technology is constantly changing. Rapid innovation continues to improve the performance on an almost daily basis. Future-proofing of LED modules allows luminaire manufacturers to switch from one generation to the next improved generation without major retooling or changes in luminaire design, offering backward compatibility with drivers.

### 14. Consistency of the Colour appearance of LEDs

LEDs are standardized for consistency in colour and performance through a process call LED binning and classified further in MacAdam steps. During the manufacturing process LEDs are allocated to specific 'bin' numbers based on tests conducted to determine their colour, lumen output and forward voltage. LEDs from each bin are further classified in a 7-step MacAdam ellipse.

### 15. Heat Sink and Heat Transferring Techniques

LEDs is a semiconductor device so it tends to generate heat where the chip is mounted and when the current flow through chip it generates light as well heat. If luminary or heatsink does not maintain temperature at junction the LED engine will burn.

### 16. What are Dimming control protocols?

LED Dimmable drivers control LED directly by signals coming from the central dimmer or they can be designed to interpret other protocols like 1-10V, DALI, DSI, DMX, Ethernet or ZigBee signals from the central dimming system. Also the triac dimming or phase cut dimming are commonly used

### 17. Why do some LEDs flicker when dimmed or turned off?

This is usually due to incompatibility between the driver and the control system. When purchasing an LED product, it is important to use the driver type as specified by the manufacturer. Also the integrator has to check the compatibility between the LED and drivers.

### 18. Why Lumen is more important than watt in LED ?

LED is constant evolving technology. Continuous research and development makes LEDs more efficient in every few months. Unlike old light source which has technology limitation and do not provide higher efficiency on regular basis it will be unjustified to compare LED by its wattage.

Few years ago, LED used to produce 50-70 Lumen per watt whereas the new generation LED produce 130-160 lumen. This is significant compared to general light source like halogen or incandescent lamp which produce around 10-15 lumen per watt. For example 10w LED that use to deliver 570 Lumens few years ago, now delivers around 1120 lumens. Comparing LED purely on wattage would be misleading in today's scenario.

**LUMENS**  
LIGHT OUTPUT



**WATTS**  
ENERGY USED



# INDOOR LIGHTS



# PREMIUM FRONT LIT SMD RECESSED DOWNLIGHTS



Spl Offer



## LF-LL-379

Power : 8w  
 Cutout : 110 x 110mm  
 Dimensions : 125 x 125 x H25mm  
 Colour Temp : 3k/4k/6k

## LF-LL-380

11w  
 125 x 125mm  
 140 x 140 x H25mm  
 3k/4k/6k


## LF-LL-381

15w  
 140 x 140mm  
 160 x 160 x H26mm  
 3k/4k/6k

## LF-LL-382

20w  
 170 x 170mm  
 190 x 190 x H27mm  
 3k

Body Colour : White  
 Light Source : Epistar SMD 4014



## LF-LL-376

Power : 8w  
 Cutout : Ø110mm  
 Dimensions : Ø125 x H25mm  
 Colour Temp : 3K/4K/6K

## LF-LL-377

11w  
 Ø125mm  
 Ø140 x H25mm  
 3K/4K/6K

## LF-LL-378

15w  
 Ø140mm  
 Ø160 x H26mm  
 3K/4K/6K


## LF-LL-419

20w  
 Ø170mm  
 Ø190 x H27mm  
 3K/4K/6k

## LF-LL-700

6w  
 Ø75mm  
 Ø90 x H23mm  
 6K


Body Colour : White  
 Light Source : Epistar SMD 4014



# PREMIUM FRONT LIT SMD RECESSED DOWNLIGHTS




**Spl Offer**



## LF-LL-182

Power : 4w  
Cutout : 65xH22mm

Light Source : Samsung  
Beam Angle : 90°  
Colour Temp : 3K/6K



## LF-LL-1333

Power : 8w  
Cutout : Ø80


Light Source : Epistar  
Beam Angle : 90°  
Colour Temp : 3K/4K/6K

## LF-LL-243

Power : 12w  
Cutout : Ø95mm



**Spl Offer**



## LF-LL-181

Power : 4w  
Cutout : Ø65xH20mm

Light Source : Epistar  
Beam Angle : 90°  
Colour Temp : 3K/4K/6K



## LF-LL-1223

Power : 6w  
Cutout : Ø75mm  
Dimensions : Ø92 x H32mm


Body Colour : White  
Light Source : Epistar  
Beam Angle : 120°  
Colour Temp : 3K/4K/6k

## LF-LL-1224

12w  
Ø106mm  
Ø120 x H32mm

## LF-LL-1225

18w  
Ø158mm  
Ø170 x H32mm




## LF-LL-1226

Power : 24w  
Cutout : Ø205mm

Light Source : Epistar  
Beam Angle : 120°  
Colour Temp : 3K/4K  
Body Colour : White

Sp1 Offer




## LF-LL-1230

Power : 24w  
Cutout : Ø205mm

Light Source : Epistar  
Beam Angle : 120°  
Colour Temp : 3K/4K  
Body Colour : White

Sp1 Offer



## LF-LL-1227

Power : 6w  
Cutout : 75 x 75mm  
Dimensions : 90 x 90 x H32mm


Body Colour : White  
Light Source : Epistar  
Beam Angle : 120°  
Colour Temp : 3K/4K/6k

## LF-LL-1228

12w  
106 x 106mm  
120 x 120 x H32mm

## LF-LL-1229

18w  
158 x 158mm  
170 x 170 x H32mm





# DEEP RECESSED BACK LIT SMD DOWNLIGHTS



## LF-LL-1440

Power : 12w  
 Cutout : Ø110mm  
 Dimensions : Ø120 x H50mm


Light Source : Epistar  
 Beam Angle : 120°

## LF-LL-1442

Power : 18w  
 Cutout : Ø145mm  
 Dimensions : Ø155 x H55mm

## LF-LL-2100

Power : 24w  
 Cutout : Ø165mm  
 Dimensions : Ø175 x H55mm



## LF-LL-1419

Power : 12w  
 Cutout : Ø110mm  
 Dimensions : Ø120 x H50mm


Light Source : Goldi LED  
 Beam Angle : 120°  
 Tunable Dimmable : 3K/4K/6k

## LF-LL-1420

Power : 18w  
 Cutout : Ø145mm  
 Dimensions : Ø155 x H55mm

## LF-LL-2101

Power : 24w  
 Cutout : Ø165mm  
 Dimensions : Ø175 x H55mm



## LF-LL-1419A

Power : 12w  
 Cutout : 110 x 110mm  
 Dimensions : 120 x H50mm

## LF-LL-1441

Power : 12w  
 Cutout : 100 x 100mm  
 Dimensions : 110 x 110mm


Light Source : Epistar  
 Beam Angle : 120°  
 Tunable Dimmable : 3K/4K/6k

## LF-LL-1443

Power : 18w  
 Cutout : 135 x 135mm  
 Dimensions : 145 x 145mm


## LF-LL-1420A

Power : 18w  
 Cutout : 145 x 145mm  
 Dimensions : 155 x H55mm





New



## LF-LL-3200

Power : 6w  
 Cutout : Ø75mm  
 Dimensions : Ø84 x H30mm

## LF-LL-3201


Power : 12w  
 Cutout : Ø100mm  
 Dimensions : Ø110 x H30mm

## LF-LL-3202


Power : 18w  
 Cutout : Ø145mm  
 Dimensions : Ø155 x H30mm

Body Colour : White  
 Beam Angle : 110°  
 Colour Temp : 3K/4K/6k

# COMPACT DEEP RECESSED SMD DOWNLIGHTS



New



## LF-LL-3203

Power : 12w  
 Cutout : 85mm  
 Dimensions : Ø90 x H56mm

## LF-LL-3204

Power : 18w  
 Cutout : 95mm  
 Dimensions : Ø100 x H56mm

Body Colour : Matt White  
 Beam Angle : 90°

# SMD DOWNLIGHTS FRONT LIT



**Spl Offer**


Available Colour Temperature Range

**LF-LL-732**

Power : 15w  
Cutout : Ø95mm

---

Body Colour : White  
Beam Angle : 120°  
Colour Temp : 3K  
Light Source : Edison



**Spl Offer**

Available Colour Temperature Range

**LF-LL-235**

Power : 3w  
Cutout : Ø98mm

---

Body Colour : White  
Colour Temp : 3K/6K  
Light Source : Epistar



**Spl Offer**

Available Colour Temperature Range

**LF-LL-442**

Power : 13w  
Cutout : Ø120mm

---

Beam Angle : 100°  
Colour Temp : 4K/6K  
Light Source : Samsung



**Spl Offer**

Available Colour Temperature Range

**LF-LL-198**

Power : 19w  
Cutout : Ø172mm

---

Body Colour : White  
Beam Angle : 90°  
Colour Temp : 6K  
Light Source : Samsung



**Spl Offer**

Available Colour Temperature Range

**LF-LL-717**

Power : 17w  
Cutout : Ø165mm

---

Body Colour : White  
Beam Angle : 90°  
Colour Temp : 4K/6K  
Light Source : Samsung



# SIDE LIT PANELS RECESSED



**Spl Offer**

Available Colour Temperature Range

<p><b>LF-LL-499</b></p> <p>Power : 6w Cutout : Ø76mm</p> <hr/> <p>Colour Temp : 6K Beam Angle : 110° Body Colour : White Light Source : Epistar</p>	<p><b>LF-LL-281</b></p> <p>Power : 8w Cutout : Ø108mm</p> <hr/> <p>6K</p>	<p><b>LF-LL-252</b></p> <p>Power : 15w Cutout : Ø225mm</p> <hr/> <p>3K</p>
---	---	--



Spl Offer

Available Colour Temperature Range

6K

4K

3K

## LF-LL-500

Power : 6w  
Cutout : 78x78mm

Colour Temp : 3K/4K/6k  
Body Colour : White  
Beam Angle : 110°  
Light Source : Epistar

## LF-LL-224

8w  
96 x 96mm

3K/4K/6k

## LF-LL-203

15w  
152 x 152mm

3K

## LF-LL-329

30w  
284 x 284mm

3K

# SURFACE SLIM SMD SIDE LIT PANELS



Spl Offer

Available Colour Temperature Range

6K

4K

3K

## LF-LL-1231

Power : 6w  
Cutout : Ø100mm

Material : Aluminium +PC  
Beam Angle : 120°  
Colour Temp : 3K/4K/6k  
Light Source : Epistar  
Thickness : 17mm

## LF-LL-1232

12w  
Ø150mm

## LF-LL-1233

18w  
Ø175mm

## SURFACE SLIM SMD SIDE LIT PANELS



Spl Offer

Available Colour Temperature Range

6K

4K

3K

### LF-LL-1234

Power : 6w  
Cutout : 100 x 100mm

### LF-LL-1235

12w  
150 x 150mm

### LF-LL-1236

18w  
175 x 175mm

### LF-LL-1431

24w  
220 x 220mm

Material : Aluminium +PC  
Beam Angle : 120°  
Colour Temp : 3K/4K/6k  
Light Source : Epistar  
Thickness : 17mm

## CORAL SERIES BACK LIT SURFACE PANELS



New

Available Colour Temperature Range

6K

4K

3K

### Rimless Border

### LF-LL-1700

Power : 8w

### LF-LL-1701

16w

### LF-LL-1702

24w

### LF-LL-1703

32w

Dimensions : Ø120 x H35mm

Ø120 x H35mm

Ø175 x H35mm

Ø225 x H35mm


Material : Aluminium + PC  
Beam Angle : 110°  
Colour Temp : 3K/4K/6k





## Rimless Border

New



### LF-LL-1704

Power : 8w

Dimensions : Ø120 x H35mm

Material : Aluminium + PC  
 Beam Angle : 110°  
 Colour Temp : 3K/4K/6k

### LF-LL-1705

Power : 16w

Dimensions : Ø120 x H35mm

### LF-LL-1706

Power : 24w


Dimensions : Ø175 x H35mm

### LF-LL-1707


Power : 32w

Dimensions : Ø225 x H35mm

## CLEAN ROOM LUMINAIRES




New




### LF-LL-3205

Power : 24w  
 Cutout : 300 x 300mm

Material : Powder coated White  
 Housing : CRCA 0.50  
 Outer Frame : CRCA 0.8  
 Light Source : Bridgelux  
 Diffuser : PMMA  
 Driver : Fullham



New



### LF-LL-3206


Power : 40w  
 Cutout : 600 x 600mm

Material : Powder coated White  
 Housing : CRCA 0.50  
 Outer Frame : CRCA 0.8  
 Light Source : Bridgelux  
 Diffuser : PMMA  
 Driver : Fullham





# CLEAN ROOM LUMNAIRES



New

Available Colour Temperature Range

6K

4K

3K

## LF-LL-3207

Power : 36w  
Cutout : 300 x 600mm

Material : Powder coated White  
Housing : CRCA 0.50  
Outer Frame : CRCA 0.8  
Light Source : Bridgelux  
Diffuser : PMMA  
Driver : Fullham



# RECESSED PANELS BACKLIT



New

Available Colour Temperature Range

6K

4K

3K

## LF-LL-553

Power : 24w  
Cutout : 295 x 295 x H50mm

## LF-LL-331

40w  
Cutout : 595 x 595 x H40mm

Colour Temp : 3K/4K/6K  
Light Source : Bridgelux  
Material : CRCA 0.50  
Body Colour : White  
Diffuser : PMMA  
Driver : Fullham





New

Available  
Colour Temperature  
Range

6K

4K

3K

## LF-LL-601

Power : 36w  
Size : 595 x 145 x H75mm

## LF-LL-602

36w  
1195 x 150 x H75mm

## LF-LL-550

36w  
595 x 295x H75mm

## LF-LL-551

36w  
1195 x 295 x H75mm

Colour Temp : 3K/4K/6K  
Light Source : Bridgelux  
Material : Mild Steel  
Body Colour : White  
Outer Frame : CRCA 0.50  
Light Source : Bridgelux  
Diffuser : PMMA  
Driver : Fullham

# SURFACE PANELS BACKLIT



New

Available  
Colour Temperature  
Range

6K

4K

3K

## LF-LL-553S

Power : 24w  
Size : 300 x 300 x H75mm

## LF-LL-331S

40w  
600 x 600 x H75mm

Colour Temp : 3K/4K/6K  
Light Source : Bridgelux  
Material : Mild Steel  
Body Colour : White  
Outer Frame : CRCA 0.50  
Light Source : Bridgelux  
Diffuser : PMMA  
Driver : Fullham

# SURFACE PANELS BACKLIT

## LF-LL-601S

Power : 36w  
Size : 600 x 145 x H75mm

## LF-LL-602S

40w  
1200 x 150 x H75mm

## LF-LL-550S

Power : 36w  
Size : 600 x 300 x H75mm


## LF-LL-551S

36w  
1200 x 300 x H75mm

Colour Temp : 3K/4K/6K  
Material : CRCA 0.50  
Body Colour : White  
Outer Frame : CRCA 0.50  
Light Source : Bridgelux  
Diffuser : PMMA  
Driver : Fullham




New



# COB RECESSED DOWNLIGHTS



Spl Offer




## LF-LL-355

Power : 3w  
Cutout : Ø31 x H35mm

Body Colour : White  
Beam Angle : 40°  
Colour Temp : 3K/6K  
Light Source : Cree



Spl Offer




## LF-LL-426

Power : 3w  
Cutout : Ø31 x H49.3mm

Body Colour : White  
Beam Angle : 40°  
Colour Temp : 6K  
Light Source : Cree



Spl Offer




## LF-LL-497

Power : 1 x 2w  
Cutout : Ø35 x H35mm

Body Colour : White  
Beam Angle : 30°  
Colour Temp : 3K/4K/6K  
Light Source : Cree



**New**

Available Colour Temperature Range  
6K  
4K  
3K

## LF-LL-1750

Power : 3w  
Cutout : Ø28mm  
Size : Ø38 x H18mm

---

Body Colour : White/ Black/ Copper  
Beam Angle : 35°  
Colour Temp : 3K/4K/6K



Available Colour Temperature Range  
6K  
4K  
3K

## LF-LL-417

Power : 4w  
Cutout : Ø45 x H43mm

---

Body Colour : White  
Beam Angle : 40°  
Colour Temp : 3K/4K/6K  
Light Source : Cree




Available Colour Temperature Range  
6K  
4K  
3K

## LF-LL-506

Power : 4w  
Cutout : Ø65mm

---

Body Colour : White  
Beam Angle : 25°  
Colour Temp : 3K/4K/6K  
Light Source : Cree



**New**

Available Colour Temperature Range  
6K  
4K  
3K

## LF-LL-1751

Power : 2w  
Cutout : Ø25mm  
Size : Ø26 x H24mm

---

LED : Osram/ Lumius SMD  
Beam Angle : 24°  
Colour Temp : 3K/4K/6K  
Driver : LIFUD/ Eaglerise



**New**

Available Colour Temperature Range  
6K  
4K  
3K

## LF-LL-1752

Power : 3w  
Cutout : Ø35mm  
Size : Ø34 x H31mm

---

LED : Lumius  
Beam Angle : 24°  
Colour Temp : 3K/4K/6K  
Driver : LIFUD/ Eaglerise

## LF-LL-1753

Power : 5w  
Cutout : Ø50mm  
Size : Ø55 x H52mm

---

LED : Lumius  
Beam Angle : 24°  
Colour Temp : 3K/4K/6K  
Driver : LIFUD/ Eaglerise



Available Colour Temperature Range  
4K  
3K

## LF-LL-285A

Power : 9w  
Cutout : Ø60mm

---

Light Source : Cree  
Beam Angle : 30°  
Colour Temp : 3K/4K



Available Colour Temperature Range  
4K  
3K

## LF-LL-1361

Power : 10w  
Cutout : Ø80mm

---

Body Colour : White  
Beam Angle : 32°  
Colour Temp : 3K/4K  
Light Source : Bridgelux



Available Colour Temperature Range  
4K  
3K


## LF-LL-1348

Power : 6.2w  
Cutout : Ø48mm

---

Beam Angle : 24°  
Colour Temp : 3K/4K  
Light Source : Bridgelux



# COB RECESSED DOWNLIGHTS



## LF-LL-1349 Frame

Power : 2 x 6.22w  
Size : 120 x H50mm


Beam Angle : 24°  
Colour Temp : 3K/4K  
Light Source : Bridgelux



## LF-LL-1350

Power : 6.2w  
Cutout : Ø50mm  
Size : 50 x H88mm

Beam Angle : 24°  
Colour Temp : 3k/4k  
Light Source : Bridgelux




## LF-LL-1369

Power : 7w  
Cutout : Ø75mm

Beam Angle : 35°  
Colour Temp : 3K/4K  
Light Source : Cree

## LF-LL-1370


Power : 12w  
Cutout : Ø90mm



## LF-LL-1456

Power : 7w  
Cutout : Ø75mm

Beam Angle : 35°  
Colour Temp : 3K/4K  
Light Source : Cree  
Reflector : White/Black/Gold



## LF-LL-1247E

Power : 3w  
Cutout : Ø45mm

## LF-LL-1247B

Power : 15w  
Cutout : Ø76mm

Light Source : Cree  
Body Colour : White / Black  
Beam Angle : 30°

## LF-LL-1247A

Power : 7w  
Cutout : Ø66mm

## LF-LL-1247C

Power : 20w  
Cutout : Ø86mm

Colour Temp : 3K/4K/6K  
T/D : 3K-4K-6K

## LF-LL-1247

Power : 12w  
Cutout : Ø76mm

## LF-LL-1247D

Power : 25w  
Cutout : Ø86mm



## LF-LL-2903

Power : 9w  
Cutout : Ø75mm  
Size : Ø85 x H54mm

Beam Angle : 40°  
Colour Temp : 3K/4K  
Light Source : Cree  
Body Colour : White

## LF-LL-2904

Power : 15w  
Cutout : Ø75mm  
Size : Ø85 x H85mm

New

Available  
Colour Temperature  
Range

4K  
3K



## Mini Module

## LF-LL-2911

Power : 9w  
Cutout : Ø65mm  
Size : Ø75 x H45mm

Beam Angle : 35°  
Colour Temp : 3K/4K  
Light Source : Cree

New

Available  
Colour Temperature  
Range

4K  
3K



## LF-LL-2907

Power : 9w  
Cutout : Ø75mm  
Size : Ø83 x H54mm

Beam Angle : 30°  
Colour Temp : 3K/4K  
Light Source : Cree  
Body Colour : White

## LF-LL-2908

Power : 15w  
Cutout : Ø75mm  
Size : Ø83x H85mm

New

Available  
Colour Temperature  
Range

4K  
3K



## LF-LL-2912

Power : 9w  
Cutout : Ø80mm  
Size : Ø90 x H54mm

Beam Angle : 30°  
Colour Temp : 3K/4K  
Light Source : Cree  
Body Colour : White

## LF-LL-2913

Power : 15w  
Cutout : Ø80mm  
Size : Ø90 x H85mm

New

Available  
Colour Temperature  
Range

4K  
3K



# COB RECESSED DOWNLIGHTS



New

Available Colour Temperature Range

6K

4K

3K

## LF-LL-3675

Power : 7w/12w/15w  
Cutout : Ø68mm/95mm/95mm

Beam Angle : 36°  
Light Source : Cree



Available Colour Temperature Range

6K

4K

3K

## LF-LL-1810

Power : 7w/15w/20w  
Cutout : Ø40mm/60mm/75mm

Beam Angle : 36°  
Light Source : Cree



New

Available Colour Temperature Range

6K

4K

3K

## LF-LL-1248A

Power : 12w  
Cutout : Ø76mm  
Size : Ø84 x H85mm

Beam Angle : 38°  
T/D : 3K-4K-6K  
Light Source : Cree

## LF-LL-1248B

Power : 15w  
Cutout : Ø76mm  
Size : Ø84 x H85mm




Available Colour Temperature Range

4K  
3K

**LF-LL-1754**      **LF-LL-1755**

Power : 9w      15w  
Cutout : Ø60mm      Ø60mm

---

Colour Temp : 3K/4K  
Light Source : Cree  
Reflector : Matt Silver/Gold  
Beam Angle : 40°



Spl Offer

Available Colour Temperature Range

4K  
3K

**LF-LL-748**      **LF-LL-749**

Power : 9w      Power : 38w  
Cutout : Ø90mm      Cutout : Ø150mm

---

Colour Temp : 3K/4K      4K  
Beam Angle : 35°  
Light Source : Cree



Spl Offer

Available Colour Temperature Range

4K  
3K

**LF-LL-063**      **LF-LL-290**

Power : 3 x 3w      5 x 3w  
Cutout : Ø89mm      Ø143mm

---

Colour Temp : 3K/6K      6K  
Light Source : Cree  
Beam Angle : 40°



Spl Offer

Available Colour Temperature Range

6K  
4K  
3K

**LF-LL-424**

Power : 15w  
Cutout : Ø120mm

---

Colour Temp : 3K/4K/5K  
Beam Angle : 60°  
Light Source : Bridgelux



Spl Offer

Available Colour Temperature Range

6K  
3K

**LF-LL-706**

Power : 13w  
Cutout : Ø90mm

---

Colour Temp : 3K/6K  
Beam Angle : 40°  
Light Source : Cree  
Body Colour : Chrome



Spl Offer

Available Colour Temperature Range

6K  
3K

**LF-LL-788**

Power : 22w  
Cutout : Ø90 x H110mm

---

Colour Temp : 3K/6K  
Beam Angle : 30°  
Light Source : Cree



Spl Offer

Available Colour Temperature Range

4K

**LF-LL-288A**

Power : 9w  
Cutout : Ø75mm

---

Colour Temp : 4K  
Beam Angle : 35°  
Light Source : Cree



# COB RECESSED DOWNLIGHTS



**Spl Offer**

Available Colour Temperature Range

6K

4K

## LF-LL-628

Power : 13w  
Cutout : Ø90mm

---

Colour Temp : 4K/6K  
Beam Angle : 60°  
Light Source : Cree



**Spl Offer**

Available Colour Temperature Range


3K

## LF-LL-1360

Power : 10w  
Cutout : Ø75mm

---

Colour Temp : 3K  
Beam Angle : 32°  
Light Source : Bridgelux



**Spl Offer**

Available Colour Temperature Range

3K

## LF-LL-251

Power : 42w  
Cutout : Ø135mm

---

Colour Temp : 3K  
Beam Angle : 40°  
Light Source : Philips Fortimo



**Spl Offer**

Available Colour Temperature Range

4K

3K

## LF-LL-708

Power : 45w  
Cutout : Ø130mm

---

Colour Temp : 3K  
Light Source : Cree  
Beam Angle : 40°



**New**

Available Colour Temperature Range

6K

4K

3K

## LF-LL-3677

Power : 36w  
Cutout : Ø119x119mm

---

Colour Temp : 3K/4k/6k  
Light Source : Cree  
Beam Angle : 38°



**Spl Offer**

Available Colour Temperature Range


3K

## LF-LL-450

Power : 12w  
Cutout : Ø80mm

---

Colour Temp : 3K  
Beam Angle : 40°  
Light Source : Cree  
Type : Wall Washer



**Spl Offer**

Available Colour Temperature Range


3K

## LF-LL-451

Power : 12w  
Cutout : Ø80mm


---

Colour Temp : 3K  
Beam Angle : 25°  
Light Source : Cree  
Type : Oval Cut





Spl Offer




## LF-LL-448

Power : 96w  
Cutout : Ø180mm

Colour Temp : 3K/4K  
Beam Angle : 40°  
Light Source : Cree



Spl Offer



## LF-LL-789

Power : 20w  
Cutout : Ø120 x H110mm


Colour Temp : 3K/4K/6K  
Beam Angle : 32°  
Light Source : Cree

## REMOTE

LED 2.4G REMOTE



New




## LF-LL-1756/ 1757

Power : 7w/12w  
Cutout : Ø48/58mm

Light Source : Cree  
Beam Angle : 36°  
Colour Temp : 3K/4K/6K



New



## LF-LL-1812A/1812


Power : 7w/12w  
Cutout : Ø48/58mm

Light Source : GoldiLED  
Beam Angle : 36°  
T/D : 3K-4K-6K

# PINSPOT SERIES



New




## LF-LL-1500

Power : 5w  
 Size : 55x43mm  
 Cutout : Ø50mm

Body Colour : White/Black  
 Light Source : Osram  
 Colour Temp : 3K/4k/6k  
 Beam Angle : 30°




New



## LF-LL-1501

Power : 7w  
 Size : 65x60mm  
 Cutout : Ø54mm


Body Colour : White/Black  
 Light Source : Osram  
 Colour Temp : 3K/4k/6k  
 Beam Angle : 15°



## LF-LL-1206

Power : 8.9w  
 Size : 68x65mm  
 Cutout : Ø62mm

Body Colour : White/Black  
 Light Source : Cree  
 Colour Temp : 3K/4k  
 Beam Angle : 16.8°



## LF-LL-1758

Power : 6w  
 Size : 70x40mm  
 Cutout : Ø65mm

## LF-LL-1759


Power : 9w  
 Size : 100x40mm  
 Cutout : Ø95mm

## LF-LL-1760

Power : 12w  
 Size : 160x40mm  
 Cutout : Ø155mm

Body Colour : White/Black  
 Light Source : Osram  
 Colour Temp : 3K/4k/6k  
 Beam angle: 30°

# GRILLE LIGHT SERIES



New




## LF-LL-1340

Power : 1x9w/15w  
 Size of fixture: 110x110x75mm  
 Cutout : Ø95mm

Body Colour : Matt White  
 Colour Temp : 3K/4k/6k



New



## LF-LL-1341

Power : 2x9w/15w  
 Size of fixture: 205x110x75mm  
 Cutout : Ø190x95mm


Body Colour : White  
 Colour Temp : 3K/4k/6k



## LF-LL-1339

Power : 3x9w/15w  
 Size of fixture: 290x110x75mm  
 Cutout : Ø275x95mm


Body Colour : White  
 Colour Temp : 3K/4k



## LF-LL-1218

Power : 3w  
Cutout : Ø36x36mm


Body Colour : White/Black  
Light Source : Osram  
Colour Temp : 3K/4k  
Beam Angle : 30°



## LF-LL-1219

Power : 6w  
Cutout : Ø36x65mm


Body Colour : White/Black  
Light Source : Osram  
Colour Temp : 3K/4k  
Beam Angle : 30°



## LF-LL-1220

Power : 12w  
Cutout : Ø36x140mm



Body Colour : White/Black  
Light Source : Osram  
Colour Temp : 3K/4k  
Beam Angle : 30°



## LF-LL-1221



Power : 24w  
Cutout : Ø36x273mm

Body Colour : White/Black  
Light Source : Osram  
Colour Temp : 3K/4k  
Beam Angle : 30°



## LF-LL-1488


Power : 2.1w SMD  
Body Colour : White/Black  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 90°  
Cutout : Ø83x30mm




## LF-LL-1489

Power : 4.2w SMD  
Body Colour : White/Black  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 90°  
Ø151x30mm

## FRONT MAINTENANCE LINEAR SERIES




New




## LF-LL-2923 / 2925 Trim/Trimless

Power : 2x3w  
Size : 96x54x55mm/80x85x50mm  
Cutout : Ø88x46mm/88x50mm

Body Colour : White/Black    Module : White/Black  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Reflector : Black, White  
Black Chrome



New




## LF-LL-2924 / 2926 Trim/Trimless

Power : 4x3w  
Size : 178x54x55mm/160x85x55mm  
Cutout : Ø170x46mm/170x50mm

Body Colour : Black/White    Module : White/Black  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Reflector : Black, White  
Black Chrome

# FRONT MAINTENANCE ADJUSTABLE LINEAR SERIES



New

Available Colour Temperature Range


4K

3K

## LF-LL-2933 / 2935 Trim/Trimless

Power : 2x3w  
 Size : 112x79x72mm/102x109x72mm  
 Cutout : Ø103x70mm/103x74mm

Body Colour : White/Black    Module : White/Black  
 Light Source : Bridgelux  
 Colour Temp : 3K/4k  
 Reflector : Black,White  
                   Black Chrome



New

Available Colour Temperature Range

4K

3K

## LF-LL-2934 / 2936 Trim/Trimless

Power : 4x3w  
 Size : 195x79x72mm/160x109x72mm  
 Cutout : Ø187x70mm/187x70mm

Body Colour : Black/White    Module : White/Black  
 Light Source : Bridgelux  
 Colour Temp : 3K/4k  
 Reflector : Black,White  
                   Black Chrome

# SLIM LINEAR SERIES



New

Available Colour Temperature Range

6K

4K

3K

## LF-LL-1762 / 1763 / 1764 / 1765

Power : 4w/6w/10w/20w  
 Size : 52x32x40mm / 62x32x40mm / 108x32x40mm / 204x32x40mm  
 Cutout : Ø46x20mm / 56x26mm / 102x26mm / 198x26mm

Body Colour : White/Black





TURBO SERIES  
SURFACE &  
RECESSED  
ANTIGLARE

7W&12W/SW+WH

12W/SB+RG

7W/SB+DB

12W/SB+RG

12W/SB+DB

12W & 18W/SW+BK

12W & 24W/SW+BK

12W&24W/SB+DB

TRIM  
SERIES

SURFACE  
SERIES

TRIMLESS  
SERIES

12W&18W/SW+WH

12W & 24W/SW+BK

12W/SW+RG

12W/SB+DB

12W/SB+CH

12W/SB+CH

12W/SW+DB

7W/SB+DB

12W/SB+RG

24W/SW+WH

12W/SB+CH

# TURBO SERIES



New

## LF-LL-2914

Power : 7w  
Cutout : Ø80mm  
Size : 90x50mm

Body Colour : White/Black  
Reflector : White / Black  
Titanium / Rose Gold  
Colour Temp : 3K/4k

## LF-LL-2915

12w  
Ø105mm  
115x36mm

Light Source : Cree/Osram  
Beam Angle : 45°  
Driver : HC Driver

## LF-LL-2916

18w  
Ø115mm  
128x36mm

## TRIM SERIES

Available Colour Temperature Range

4K  
3K



New

## LF-LL-2917

Power : 7w  
Size : 78x58mm

Body Colour : White/Black  
Reflector : White / Black  
Titanium / Rose Gold  
Colour Temp : 3K/4k

## LF-LL-2918

12w  
100x58mm

Light Source : Cree/Osram  
Beam Angle : 45°  
Driver : HC Driver

## LF-LL-2919

18w  
115x58mm

## SURFACE SERIES

Available Colour Temperature Range

4K  
3K



New

## LF-LL-2920

Power : 7w  
Cutout : Ø80mm  
Size : 138x78x50mm

Body Colour : White/Black  
Reflector : White / Black  
Titanium / Rose Gold  
Colour Temp : 3K/4k

## LF-LL-2921

12w  
Ø100mm  
161x100x36mm

Light Source : Cree/Osram  
Beam Angle : 45°  
Driver : HC Driver

## LF-LL-2922

18w  
Ø115mm  
177x115x36mm

## TRIMLESS SERIES

Available Colour Temperature Range

4K  
3K







## LF-LL-852/853

Power : 7w/13w  
Cutout : Ø92x70mm/Ø92x106mm


Reflector : White/Black  
Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 30°



## LF-LL-854/855

Power : 7w/13w  
Cutout : Ø113x70mm/113x106mm


Reflector : White/Black  
Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 30°



## LF-LL-1362A

Power : 13w  
Cutout : Ø110mm

Body Colour : White/Black  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 38°



## LF-LL-2057

Power : 5w  
Cutout : Ø65mm  
Size : 115x70mm

Body Colour : White/Black  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 38°



## LF-LL-2052


9w  
Cutout : Ø85mm  
Size : 150x83mm

Reflector : White / Matt Black  
Titanium



## LF-LL-2053

15w  
Cutout : Ø85mm  
Size : 150x100mm




# SEMI COB TRIMLESS DOWNLIGHTS



## LF-LL-2901/2902/1407

Power : 9w/15w/24w  
Cutout : Ø75mm/75mm/100mm


Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 40°



## LF-LL-1351/1352

Power : 12w/15w  
Cutout : Ø77x77mm/Ø155x77mm


Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k



## LF-LL-626/627

Power : 7w/13w  
Cutout : Ø76mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 30°



# WALLWASHER COB RECESSED



**LF-LL-1806/1807**

Power : 12w/20w  
Cutout : Ø72mm/Ø92mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k



Available Colour Temperature Range

4K

3K



**LF-LL-1813/1814**

Power : 12w/20w  
Cutout : Ø72mm/Ø92mm

Body Colour : White  
Light Source : Goldi LED  
Tunable : 3K-4k  
Dimmable

Available Colour Temperature Range

4K

3K



**LF-LL-731**

Power : 5w  
Cutout : Ø80mm

Body Colour : White  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 36°

Available Colour Temperature Range

4K

3K



**LF-LL-1337**

Power : 12w  
Cutout : Ø82mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 40°

Available Colour Temperature Range

4K

3K



**LF-LL-526/527**

Power : 15w/30w  
Cutout : Ø95mm

Body Colour : White  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 40°

Available Colour Temperature Range

4K

3K



**LF-LL-1362A**

Power : 13w  
Cutout : Ø110mm

Body Colour : White  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 40°

Available Colour Temperature Range

4K

3K



**LF-LL-536**


Power : 9w/15w  
Cutout : Ø75mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 40°

Available Colour Temperature Range

4K

3K



**LF-LL-537**

Power : 9w/15w  
Cutout : Ø75mm

Body Colour : White  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 40°

Available Colour Temperature Range

4K

3K




**New**


Available Colour Temperature Range

**LF-LL-1766**

Power : 6w  
Cutout : Ø70x35mm

---

Body Colour : White  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 36°



Available Colour Temperature Range

**LF-LL-1408**

Power : 9w  
Cutout : Ø100mm

---

Body Colour : White  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 85°



Available Colour Temperature Range

**LF-LL-1365/1366**

Power : 3.w/11w  
Cutout : Ø49mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 36°



**Spl offer**

Available Colour Temperature Range

**LF-LL-358**

Power : 16w  
Cutout : Ø110mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k/6k  
Beam Angle : 40°



**Spl offer**

Available Colour Temperature Range

**LF-LL-444**

Power : 28w  
Cutout : Ø150mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/6k  
Beam Angle : 40°



**Spl offer**

Available Colour Temperature Range

**LF-LL-445**

Power : 41w  
Cutout : Ø130mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K  
Beam Angle : 40°



**Spl offer**

Available Colour Temperature Range

**LF-LL-1372**

Power : 6x2w

---

Body Colour : Black  
Light Source : Cree Xp  
Colour Temp : 3K/4k  
Beam Angle : 24°



**Spl offer**

Available Colour Temperature Range

**LF-LL-711**

Power : 18w  
Cutout : Ø133mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K  
Beam Angle : 60°



**Spl offer**

Available Colour Temperature Range

**LF-LL-904**

Power : 30w  
Cutout : Ø130mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 25°

# TITANIUM SERIES



Available  
Colour Temperature  
Range

## LF-LL-1330/1331

Power : 9w/15w  
Cutout : Ø60mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 40°



Available  
Colour Temperature  
Range

## LF-LL-1475/1481

Power : 6w/22w  
Cutout : Ø55mm/90mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 40°/24°



Available  
Colour Temperature  
Range

## LF-LL-1477

Power : 15w  
Cutout : Ø75mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 40°



## LF-LL-1476

Power : 9w  
Cutout : Ø75mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 40°

Available  
Colour Temperature  
Range



## LF-LL-2905

Power : 2x9w  
Cutout : Ø140x75x54mm

Body Colour : White  
Light Source : Cree  
Reflector : Titanium / Black

## LF-LL-2906

Power : 2x15w  
Cutout : Ø140x75x85mm

Colour Temp : 3K/4k  
Beam Angle : 40°

New

Available  
Colour Temperature  
Range



New

Available  
Colour Temperature  
Range

## LF-LL-2932

Power : 9w  
Cutout : Ø40mm

Body Colour : White  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 36°



**New**



Available Colour Temperature Range

6K  
4K  
3K

**LF-LL-1770**

Power : 5w  
Cutout : Ø33mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k/6k  
Beam Angle : 30°

**New**



Available Colour Temperature Range

6K  
4K  
3K

**LF-LL-1771**

Power : 9w  
Cutout : Ø43mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k/6k  
Beam Angle : 30°

**New**



Available Colour Temperature Range


6K  
4K  
3K

**LF-LL-1772**

Power : 15w  
Cutout : Ø43mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k/6k  
Beam Angle : 30°



**New**

Available Colour Temperature Range

4K  
3K

**LF-LL-2927/2928**



Power : 7w/9w  
Cutout : Ø36/47mm

---


Body Colour : White/Black  
Driver : Triac  
Dimmable

Colour Temp : 3K/4k  
Beam Angle : 30°  
Light Source : Teen

<b>7w</b>	<b>4950.00</b>
<b>9w</b>	<b>6600.00</b>

## TRACK LIGHTS



**TRACK 1mtr**  
**TRACK 2mtr**

Body Colour : White/Black



Available Colour Temperature Range

4K  
3K

**LF-LL-624**

Power : 8w  
Size : Ø43mm

---

Body Colour : White  
Light Source : Lumen  
Colour Temp : 3K/4k  
Beam Angle : 24°

**Spl offer**



Available Colour Temperature Range

4K  
3K

**LF-LL-529/530**

Power : 25w/35w

---

Body Colour : White  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 30°


# TRACK LIGHTS



## LF-LL-2054/2055/2056

Power : 15w/24w/35w



Body Colour : White/Black  
 Light Source : Bridgelux  
 Colour Temp : 3K/4k  
 Beam Angle : 38°



## LF-LL-1905

Power : 10w/20w/30w  
 Size : 130x60x132mm/ 160x80x150mm/  
 165x90x150mm

Body Colour : White/Black  
 Light Source : Cree  
 Colour Temp : 3K/4k/6k  
 T/D : 3K-4k-6k  
 Beam Angle : 38°



## Brass Track Spot




New

## LF-LL-1915

Power : 6w  
 Size : 60mm

Body Colour : Brass  
 Light Source : GU10  
 Colour Temp : 3K







**IP54**



Available Colour Temperature Range

**LF-LL-856**

Power : 7w  
Cutout : Ø65mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 36°

**IP54**



Available Colour Temperature Range

**LF-LL-1343/1344**

Power : 7w/15w  
Cutout : Ø89mm/120mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 36°

**IP54**



Available Colour Temperature Range

**LF-LL-1449**

Power : 6.4w+8w  
Cutout : Ø70mm

---

Body Colour : Black  
Light Source : Edison/Lumileds  
Colour Temp : 3K  
Beam Angle : 20°

**IP65**



**New**

Available Colour Temperature Range


**LF-LL-1768/1769**

Power : 12w/20w  
Cutout : Ø75mm

---

Body Colour : White  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 45°

**IP65**



**New**

Available Colour Temperature Range

**LF-LL-1767**

Power : 15w  
Cutout : Ø80mm

---

Body Colour : White/Black  
Reflectors : White/Bright  
Silver / Matt Silver  
Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 40°

**IP65**



**New**

Available Colour Temperature Range

**LF-LL-1773/1774**

Power : 15w/22w  
Cutout : Ø110mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 55°

**IP65**



**New**

Available Colour Temperature Range

**LF-LL-1775/1776**

Power : 15w/22w  
Cutout : Ø110x110mm

---

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 57°

**IP65**



**New**

Available Colour Temperature Range


**LF-LL-2909/2910**

Power : 9w/15w

---

IP rating : IP 65  
Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 40°  
Cutout : Ø70mm

# REFLECTOR COB DOWNLIGHTS




## LF-LL-1246

Power : 12w/15w  
Cutout : Ø76mm

Body Colour : Black- Copper, White - Chrome, White - gold  
White - Black

Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 30°



## LF-LL-1421A/1421B


Power : 12w/15w  
Cutout : Ø76mm

Body Colour : Black- Copper, White - Chrome, White - gold  
White - Black

Light Source : Cree  
T/D : 3K-4k-6k  
Beam Angle : 30°



New



## LF-LL-1777/1778/1779


Power : 7w/12w/20w  
Cutout : Ø65mm/75mm/85mm

Body Colour : White / Black  
Reflectors : White / Black  
Rosegold / Titanium

Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 30°



New




## LF-LL-1780/1781

Power : 7w/12w  
Cutout : Ø65mm


Body Colour : White / Black  
Reflectors : White / Black/Titanium  
Rosegold / Gold

Light Source : Cree  
Colour Temp : 3K/4k  
Beam Angle : 30°

Type : Tiltable



New



## LF-LL-1782/1783

Power : 12w/24w  
Cutout : Ø70mm

Body Colour : White / Black  
Reflectors : White / Black/Titanium Black  
Rosegold / Gold/ Matt Silver

Light Source : Bridgelux  
Colour Temp : 3K/4k  
Beam Angle : 40°




**Spl offer**

Available Colour Temperature Range

**LF-LL-515**

Power : 29w

---

Body Colour : White  
 Light Source : Osram  
 Colour Temp : 3K  
 Beam Angle : 120°



**Spl offer**

Available Colour Temperature Range

**LF-LL-495**

Power : 16w

---

Body Colour : White  
 Light Source : Epistar 3014  
 Colour Temp : 3K/4k  
 Beam Angle : 100°



**Spl offer**

Available Colour Temperature Range

**LF-LL-496**

Power : 16w

---

Body Colour : White  
 Light Source : Epistar 3014  
 Colour Temp : 4k  
 Beam Angle : 100°



**Spl offer**

Available Colour Temperature Range

**LF-LL-860**

Power : 20w

---

Body Colour : White  
 Light Source : Everlight  
 Colour Temp : 6K  
 Beam Angle : 100°



**Spl offer**

Available Colour Temperature Range

**LF-LL-328**

Power : 30w

---

Body Colour : White  
 Light Source : SMD 3014 Epistar  
 Colour Temp : 3K/4k  
 Beam Angle : 110°



**Spl offer**


Available Colour Temperature Range

**LF-LL-600S**

Power : 40w

---

Body Colour : White  
 Light Source : SMD 3014 Epistar  
 Colour Temp : 3k  
 Beam Angle : 110°



**New**

Available Colour Temperature Range

**LF-LL-3805**

Power : 40w/60w  
 Diameter : 450mm/600mm  
 Body : Aluminium Body Acrylic Lens


Colour Temp : 3k/4k/6K  
 Beam Angle : 120°

# SURFACE CEILING SMD

New

## LF-LL-3806


Power : 80w  
 Diameter : 600mm  
 Body : Aluminium Body  
 Acrylic Lens  
 Colour Temp : 3k/4k/6K  
 Beam Angle : 120°



Spl offer

## LF-LL-1203/1204


Power : 10w/20w  
 Body Colour : White  
 Light Source : Lumens  
 Colour Temp : 3K  
 Beam Angle : 90°



Spl offer

## LF-LL-633/634


Power : 15w/25w  
 Body Colour : White  
 Light Source : Edison  
 Colour Temp : 3K  
 Beam Angle : 100°



Spl offer

## LF-LL-744


Power : 12w  
 Body Colour : White  
 Light Source : Samsung  
 Colour Temp : 3k  
 Beam Angle : 60°



Spl offer

## LF-LL-777


Power : 5w  
 Body Colour : White  
 Light Source : SMD 3014 Epistar  
 Colour Temp : 3K  
 Beam Angle : 120°



Spl offer

## LF-LL-779


Power : 10w  
 Body Colour : White  
 Light Source : SMD 3014 Epistar  
 Colour Temp : 3K  
 Beam Angle : 120°



Spl offer

## LF-LL-601S

Power : 20w  
 Size : 146x596x48mm  
 Body Colour : White  
 Light Source : SMD 3014 Epistar  
 Colour Temp : 3k/4k/6k  
 Beam Angle : 100°






## LF-LL-1293/1294

Power : 6w/12w  
Size : 50 x 50 x H75mm / 76 x 76 x H100mm


Light Source : Cree  
Beam Angle : 30°  
Colour Temp : 3K/4K



## LF-LL-1354

Power : 2x15w


Reflector : White/ Black-Gold  
Beam Angle : 32°  
Colour Temp : 3K  
Light Source : Bridgelux  
Body Colour : White



## LF-LL-1335/1336

Power : 9w/15w  
Size : 65 x H126mm / 80 x H152mm


Light Source : Cree  
Beam Angle : 38°  
Colour Temp : 3K/4K  
Reflector : Titanium



## LF-LL-1367

Power : 8w  
Size : Ø60 x H60mm


Beam Angle : 24°  
Colour Temp : 3K/4K  
Light Source : Lumens  
Body Colour : White + Black/Black



## LF-LL-1368

Power : 8w  
Size : 60 x 60 x H60mm


Beam Angle : 24°  
Colour Temp : 3K/4K  
Light Source : Lumens  
Body Colour : White + Black/Black




## LF-LL-1358/1359

Power : 10w/15w  
Size : 95 x H100mm

Light Source : Bridgelux  
Beam Angle : 30°  
T/D : 3K  
Type : Round/ Square  
Body Colour : White/Black  
Reflector : Chrome/ Black/ Copper



# SURFACE COB DOWNLIGHTS




## LF-LL-1457

Power : 4x2w  
 Cutout : Ø28mm  
 Size : 60.5 x 60.5mm

Body Colour : Black  
 Beam Angle : 24°  
 Colour Temp : 3K/4K  
 Light Source : Cree



**Sp1 Offer**




## LF-LL-1356

Power : 13.9w  
 Cutout : Ø26mm  
 Size : Ø25 x H24mm

Light Source : Bridgelux  
 Beam Angle : 32°  
 Colour Temp : 3K  
 Body Colour : White

**WALL WASHER ADJUSTABLE**




## LF-LL-1472

Power : 9w  
 Cutout : Ø86 x H90mm

Body Colour : White  
 Beam Angle : 30°  
 T/D : 3K/4K  
 Light Source : Citizen

**WALL WASHER FIXED**



**Surface Linear Laser**


## LF-LL-1519

Power : 21w  
 Cutout : 270 x 34.5 x H55mm

Body Colour : White  
 Beam Angle : 30°  
 Colour Temp : 3K/4K  
 Light Source : Lumileds



**Sp1 Offer**



## LF-LL-1346


Power : 7w Adjustable

Light Source : Lumileds  
 Body Colour : Matt White/Matt Black  
 Coffee  
 Colour Temp : 3K  
 Beam Angle : 36°

**TILTABLE ADJUSTABLE**




**Sp1 Offer**



## LF-LL-620

Power : 8w

Body Colour : White  
 Beam Angle : 30°  
 Colour Temp : 4K/6K  
 Light Source : Lumens



## LF-LL-1761

Power : 7w  
 Size : 60 x H85mm

## LF-LL-1762

Power : 12w  
 Size : 75 x H95mm

## LF-LL-1763

Power : 20w  
 Size : 86 x H110mm

Reflector : Matt Black/ Matt White/ Rose Gold/ Matt Gold / Titanium Black  
 Beam Angle : 40°  
 Colour Temp : 3K  
 Body Colour : White/ Black







New


## LF-LL-2930

Power : 11w  
 Cutout : Ø28mm  
 Size : 60.5 x 60.5mm

Body Colour : White/Gold-Black  
 Beam Angle : 24°  
 Colour Temp : 3K/4K  
 Light Source : Cree



Spl Offer




## LF-LL-621

Power : 8w

Body Colour : White  
 Beam Angle : 30°  
 Colour Temp : 6K  
 Light Source : Lumens



Spl Offer



## LF-LL-115

Power : 4w

Beam Angle : 90°  
 Colour Temp : 6K  
 Light Source : Lumens



Spl Offer



## LF-LL-116

Power : 4w

Beam Angle : 90°  
 Colour Temp : 6K  
 Light Source : Lumens

# SURFACE COB DOWNLIGHTS




New

## LF-LL-2978

Power : 6w  
Size : 75 x H300mm/75 x H450mm

Colour Temp : 3K  
Body Colour : Black-White/Black-Gold  
Light Source : GU10




# SURFACE ADJUSTABLE COB



## LF-LL-624

Power : 8w  
Size : 50 x H130mm


Beam Angle : 24°  
Colour Temp : 3K/4K  
Light Source : Lumens



## LF-LL-657

Power : 5w  
Size : 42 x H120mm


Beam Angle : 40°  
Colour Temp : 3K  
Light Source : Edison



## LF-LL-1345


Power : 7w  
Size : 55 x 55 x H105mm

Beam Angle : 30°  
Colour Temp : 3K  
Light Source : Lumileds






# STEPLIGHTS



## LF-LL-050

Power : 3w  
Cutout : Ø44xH30mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K  
Driver : External



## LF-LL-1310

Power : 1w / 3w  
Size : 46x48mm


Body Colour : White, Matt black, Grey  
AB, Wooden  
Light Source : Cree  
Colour Temp : 3K



# MAGNETIC TRACK SERIES



New




## LF-LL-3005 A / B / C (Recess Trimless Track Rod)

Power : Upto 300w  
Size : 1m, 2m, 3m

Body Colour : Matt Black  
Voltage : DC48V



New




## LF-LL-3006 A / B (Surface Mount Track)

Power : Upto 300w  
Size : 1m, 2m

Body Colour : Matt Black  
Voltage : DC48V



New




## LF-LL-3003 (Laser Fixed Spot)

Power : 12w  
Size : 48mm x 297mm

Body Colour : Black, White  
Voltage : DC48V  
Colour Temp : 3K,4K



New



**LF-LL-3000**

**(Diffuser Fixed)**

Power : 8w  
Size : 48x300mm

Body Colour : Matt Black  
Beam Angle : 120°  
Colour Temp : 3K/4K

**LF-LL-3001**


Power : 16w  
Size : 48x600mm

**LF-LL-3009**

Power : 16w - L Shaped  
Size : 47x320mm



New




**LF-LL-3002**


**(Laser Adjustable Spot)**

Power : 12w

Body Colour : Black / White  
Beam Angle : 15°/30°/45°  
Colour Temp : 3K/4K



New



**LF-LL-3007**

**(Spotlight Adjustable)**

Power : 7w

Body Colour : Black / White  
Beam Angle : 3°/15°/24°/38°  
Colour Temp : 3K/4K

# MAGNETIC TRACK SERIES



**LF-LL-3004**  
**(Pendant Magnetic)**

Power : 7w  
Size : Ø58x250mm

Body Colour : Matt Black/White  
Beam Angle : 15°/24°/38°  
Colour Temp : 3K/4K


Available Colour Temperature Range  
4K  
3K

New

## ACCESSORIES



90° Connector




Suspension Kit




Side Convertor Plate



End Cap



Live End Connector



Double End Connector




Back End Connector



48V 150w Meanwell Driver






New

## LF-LL-1784

**Recessed Profile**

Size : 24.7x7mm

Application : 17mm Recessed  
 Body Colour : Matt Aluminium  
 Standard  
 Length : 2 mtrs




New

## LF-LL-1785

**Recessed Profile**

Size : 12.5x9mm

Application : 8mm Recessed  
 Body Colour : Matt Aluminium  
 Standard  
 Length : 2 mtrs



New

## LF-LL-1786

**Recessed Profile**

Size : 65x35mm

Application : 50mm Recessed  
 Body Colour : Matt Aluminium  
 Standard  
 Length : 2 mtrs




New

## LF-LL-1787

**Recessed Profile**

Size : 30.3x9.8mm

Application : 25mm Recessed  
 Body Colour : Matt Aluminium  
 Standard  
 Length : 2.4 mtrs




New

## LF-LL-1788

**Surface Profile**

Size : 23.5x9.8mm

Application : 25mm Surface  
 Body Colour : Matt Aluminium  
 Standard  
 Length : 2 mtrs




New

## LF-LL-1789

**Surface Profile**

Size : 8x9mm

Application : 8mm Surface  
 Body Colour : Matt Aluminium  
 Standard  
 Length : 2 mtrs




# ALUMINIUM PROFILES



New

## LF-LL-1790



### Surface Profile

Size : 17.4x7mm

Application : 17mm Surface  
 Body Colour : Matt Aluminium  
 Standard  
 Length : 2 mtrs



New

## LF-LL-1791



### Corner Profile


Size : 15.8x15.8mm

Body Colour : Matt Aluminium  
 Standard  
 Length : 2 mtrs



New

## LF-LL-1792



### Wall washer


Size : 40.8x18mm

Body Colour : Matt Aluminium  
 Standard  
 Length : 2 mtrs



New

## LF-LL-1793



### Bendable/Flexible


Size : 15x6mm

Body Colour : Matt Aluminium  
 Standard  
 Length : 2 mtrs



New

## LF-LL-1794



### Skirting Profile


Size : 65x21mm

Body Colour : Matt Aluminium  
 Standard  
 Length : 2 mtrs



New

## LF-LL-1795



### Rimless Profile

Size : 52.5x13.3mm

Body Colour : Matt Aluminium  
 Standard  
 Length : 2.5 mtrs



New


## LF-LL-1796



### Outer Corner Rimless Profile


Size : 50x24mm

Body Colour : Matt Aluminium  
 Standard  
 Length : 2mtrs



New

## LF-LL-1797



### Surface Black Profile


Size : 17.4x7mm

Application : 17mm Surface  
 Body Colour : Matt Black  
 Standard  
 Length : 2 mtrs



New

## LF-LL-1798



### Recessed Black Profile

Size : 24.7x7mm

Application : 17mm Surface  
 Body Colour : Matt Black  
 Standard  
 Length : 2 mtrs



New

**LF-LL-1799**

**Corner Black Profile**

Size : 15.8x15.8mm

Body Colour : Black  
Standard

Length : 2 mtrs



New


**LF-LL-1800**

**Hanger Profile**

Size : 15x29.5mm

Body Colour : Matt Aluminium  
Standard

Length : 2 mtrs



New



**LF-LL-1801**

**Glass Shelf Profile**

Size : 11.2x11.2mm

Body Colour : Matt Aluminium  
Standard

Length : 2 mtrs



New

**LF-LL-1802**

**2 Way Wardrobe Profile**

Size : 20x28mm

Body Colour : Matt Aluminium  
Standard

Length : 2 mtrs




# HIGH BAY SERIES



## LF-LL-150/151/152/153 (with 10KV Surge Protection Device (SPD))

Power : 50w/100w/150w/200w  
 IP Rating : Ip66

Light Source : Osram  
 Colour Temp : 3k/4k/6k




New

## LF-LL-1803/1804/1805

Power : 50w/100w/150w  
 IP Rating : Ip66


Light Source : Osram  
 Colour Temp : 3k/4k/6k




## LF-LL-154/155/156 (with 10KV Surge Protection Device (SPD))

Power : 50w/100w/150w  
 IP Rating : Ip66

Light Source : Osram  
 Colour Temp : 3k/4k/6k  
 Driver : Meanwell/Philips







**New**

**LF-LL-2666**

Power : 18w  
Size : 17x14x1200mm

Light Source : Bridgelux  
Body Colour : Chrome  
Application : Wardrobe  
Kitchen/Bookshelf

Available Colour Temperature Range  
6K  
4K  
3K

**New**

**UPDOWN LIGHT**

**LF-LL-2650**

Power : 40w  
Size : 52x220x1200mm

Light Source : Bridgelux  
Body Colour : Matt Black - Inside Orange  
Colour Temp : 3k/4k/6k

Available Colour Temperature Range  
6K  
4K  
3K

**New**

**LF-LL-2660**

Laser spots , Diffuser Cost will be extra.  
As per design required.

Body Colour : Black  
**Size: 600mm profile**  
**900mm profile**  
**1200mm profile**

Available Colour Temperature Range  
6K  
4K  
3K

**New**

**LF-LL-2662**

Power : 42w  
Size : 40x82x1200mm

Light Source : Bridgelux 3030 SMD  
Body Colour : Black

Available Colour Temperature Range  
6K  
4K  
3K



**New**

**LF-LL-2655/2654**

Power : 36w  
Size : 52x75x1200mm

Light Source : Bridgelux  
Body Colour : White / Black / Wooden

**Colour Temp : 3k/4k/6k**

**Tunable : 3k-4k-6k**  
**Dimmable**

Available Colour Temperature Range  
6K  
4K  
3K

**Can be customised upto 12ft.**

# LINEAR SUSPENDED LIGHTING



## LF-LL-2664

Power : 40w  
Size : 65x60x1200mm

Light Source : Bridgelux  
Body Colour : Anodised Aluminium  
Type : Linkable  
Trunking Lens

New

Available  
Colour Temperature  
Range

6K

4K

3K



## Honeycomb louvre Antiglare UGR

## LF-LL-2661

Power : 36w  
Size : 52x75x1200mm

Light Source : Bridgelux  
Body Colour : White/Black

New

Available  
Colour Temperature  
Range

6K

4K

3K



## LF-LL-2663

Power : 40w  
Size : 68x54x1200mm

Light Source : Bridgelux  
Body Colour : Anodised Aluminium  
Type : Linkable  
Trunking Lens

New


Available  
Colour Temperature  
Range

6K

4K


3K





New

Down/Updown



**LF-LL-2665**

Power : 42w  
 Size : 125x20x1200mm  
 Light Source : Bridgelux 2835  
 Body Colour : Grey Powder Coated

New

Available Colour Temperature Range  
 6K  
 4K  
 3K

**LF-LL-2668**

Power : 48w  
 Size : 600x80mm

Light Source : Bridgelux  
 Body Colour : Black/White

New

Available Colour Temperature Range  
 6K  
 4K  
 3K

**LF-LL-2668A**

Power : 48w  
 Size : 600x80mm

Light Source : Bridgelux  
 Body Colour : Black/White


New

Available Colour Temperature Range  
 6K  
 4K  
 3K


**LF-LL-2669**

Power : 108w  
 Size : 600mmx2ft each side x80mm

Light Source : Bridgelux  
 Body Colour : Black/White



New




**LF-LL-2667**

Power : 18w  
 Size : 18x18x1200  
 Light Source : Bridgelux  
 Body Colour : Matt Anodised Aluminium

Can be customised to any length.

# WALL LIGHTS



Available  
Colour Temperature  
Range



## LF-LL-1237

Power : 10w  
Size : 47x200x47mm

Light Source : Bridgelux  
Finishes : Chrome, Brushed Antique Brass, Matt White  
Antique Copper, Matt Gold, Shining Gold, Matt Black and Pearl White  
Colour Temp : 3K



Available  
Colour Temperature  
Range




(Adjustable Wall  
Light)

## LF-LL-1454/1455

Power : 5w/7w  
Size : 220mm/260mm

Light Source : Bridgelux  
Colour Temp : 3K



## LF-LL-148


Power : 2x3x1w  
Size : 124x180x52mm

Light Source : Cree  
Colour Temp : 3K

## LF-LL-162

Power : 2x6x1w  
Size : 214x280x52mm

Available  
Colour Temperature  
Range



New

Available  
Colour Temperature  
Range



## LF-LL-1808

Power : 12w  
Size : L110xB110xH50mm

Light Source : Bridgelux  
Body Center : Antique Brass  
Colour Temp : 3K

## LF-LL-1809

Power : 24w  
Size : L450xB110xH50mm




Available  
Colour Temperature  
Range



## LF-LL-1470

Power : 5w  
Size : 300x356x40mm

Light Source : Edison  
Colour Temp : 3K



**LF-LL-846**

Power : 9w  
Size : 210x102x85mm

Light Source : Cree  
Colour Temp : 3K



**LF-LL-2975**

Power : 10w  
Size : L268xB168xH92mm



Colour Temp : 3k/4k



**LF-LL-2976**

Power : 20w  
Size : L535xB168xH92mm


New



**LF-LL-1467**

Power : 10w  
Size : 600x120mm


Light Source : Edison  
Colour Temp : 3K  
Feature : Motion sensor



**LF-LL-1460**

Power : 2x6w  
Size : 110x250x53.5mm

Light Source : Cree  
Colour Temp : 3K




**LF-LL-1461**

Power : 8w  
Size : 205x205x62mm

Light Source : Cree  
Colour Temp : 3K



New




**LF-LL-2979**

Power : 12w  
Size : 300x50mm

Colour Temp : 3k/4k/6k



New



**LF-LL-2980**

Power : 12w  
Size : 240x80x180mm

Colour Temp : 3k

# WALL LIGHTS




New

Available  
Colour Temperature  
Range

## LF-LL-2977 / 2105

Power : 18w / 32w  
Size : 540x160x90mm / 1000x160x190mm

Light Source : Osram  
Body Colour : Matt White, Matt Black  
Colour Temp : 3k/4k



## LF-LL-848

Power : 1x4.5w  
Size : 120x70x145mm


Light Source : Bridgelux  
Colour Temp : 3K  
Finish : Outer White  
Inside Gold

Available  
Colour Temperature  
Range

3K

## LF-LL-850

2x4.5w  
Size : 320x70x145mm



## LF-LL-849

Power : 2x4.5w  
Size : 320x70x145mm

Light Source : Bridgelux  
Colour Temp : 3K  
Finish : Outer White  
Inside White


Available  
Colour Temperature  
Range

3K



New

Available  
Colour Temperature  
Range



## LF-LL-3050

Power : 12w/18w  
Light Source : Cree

Body Colour : Coffee  
Colour Temp : 3K

Size : 290x80x40mm

Size : 500x80x40mm



New

Available  
Colour Temperature  
Range



## LF-LL-3051

Power : 12w  
Size : Ø180mm / 35mm(projection)

Body Colour : AB+Black  
Light Source : Cree  
Colour Temp : 3K



Spl Offer

Available  
Colour Temperature  
Range



## LF-LL-222

Power : 4x1w  
Colour Temp : 3K

Light Source : Cree  
Finish : Chrome



Available  
Colour Temperature  
Range



## LF-LL-742

Power : 8w  
Size : 100x80x100mm

Body Colour : Black, Gold, White  
Light Source : Cree,Osram  
Colour Temp : 3K



Spl Offer


Available  
Colour Temperature  
Range



## LF-LL-739

Power : 6w  
Colour Temp : 3K

Light Source : Cree  
Finish : Champagne Gold



Spl Offer

Available  
Colour Temperature  
Range



## LF-LL-741

Power : 2-8x0.5w  
Colour Temp : 3K

Light Source : Cree  
Finish : White+Chrome



Spl Offer

Available  
Colour Temperature  
Range



## LF-LL-387


Power : 2x6x1w  
Colour Temp : 3K

Light Source : Cree  
Finish : White

# WALL LIGHTS



Spl Offer




## LF-LL-395

Power : 2x12x0.5w  
Colour Temp: 3K

Light Source : Cree  
Finish : White



Spl Offer




## LF-LL-489

Power : 12w  
Colour Temp: 3K

Light Source : Cree  
Finish : White



Spl Offer




## LF-LL-837

Power : 2x2-6x0.5w  
Colour Temp: 3K

Light Source : Cree  
Finish : White




Spl Offer




## LF-LL-768

Power : 2x3w  
Colour Temp: 3K

Light Source : Cree  
Finish : Black/Copper/White



Spl Offer




## LF-LL-843

Power : 6w  
Colour Temp: 3K

Light Source : Cree  
Finish : Champagne Gold



Spl Offer




## LF-LL-303

Power : 2x3w  
Colour Temp: 3K

Light Source : Cree  
Finish : White



Spl Offer




## LF-LL-520

Power : 4w AC  
Colour Temp: 3K

Light Source : Samsung  
Finish : Matt White




Spl Offer




## LF-LL-1347

Power : 4w  
Colour Temp: 3K

Light Source : Lumens  
Finish : Sand White Up  
Black Down



Spl Offer




## LF-LL-220

Power : 4w  
Colour Temp: 3K

Light Source : Cree  
Finish : Chrome







**LF-LL-1855** (Square)

Power : 18w  
Size : 564x45x75mm


Body Colour : Chrome, Antique Brass  
Light Source : Samsung  
Colour Temp : 3K




**LF-LL-1856** (Round)

Power : 18w  
Cutout : 564x50x75mm

Body Colour : Chrome, Antique Brass  
Light Source : Samsung  
Colour Temp : 3K



New



**LF-LL-2983**

Power : 6w  
Size : 140x45x90mm



Body Colour : Chrome Adjustable  
Colour Temp : 3K  
Light Source : Cree / Osram

**LF-LL-2984**

12w  
280x45x90mm

**LF-LL-2985**

18w  
450x45x90mm



**LF-LL-1858**

Power : 5w  
Size : 150x50x145mm

Body Colour : Coffee  
Colour Temp : 3K  
Light Source : Cree

**LF-LL-1861**

10w  
320x50x145mm

**LF-LL-1859**

15w  
460x50x145mm

# MIRRORLIGHTS



## LF-LL-1281

Power : 5w  
Size : 120x65x95mm



## LF-LL-1283

Power : 15w  
Size : 380x65x95mm

Available  
Colour Temperature  
Range

3K



## LF-LL-1282

Power : 10w  
Size : 250x65x95mm

Body Colour : Chrome/Wooden  
Colour Temp : 3K  
Light Source : Osram



## LF-LL-1284

Power : 20w  
Size : 510x65x95mm



New

Available  
Colour Temperature  
Range

6K


4K

3K


## LF-LL-3052

Power : 16/20w  
Size : 600x35x85mm  
730x35x85mm

Body Colour : Chrome / AB  
Colour Temp : 3K/4K/6K  
Light Source : Cree



New




**LF-LL-3053**

Power : 12w  
Size : 220x100x70mm

Body Colour : Antique Brass  
Light Source : Cree  
Colour Temp : 3K/4k/6k



New




**LF-LL-3054**

Power : 20w  
Size : 550x120x45mm

Body Colour : Chrome  
Light Source : Cree  
Colour Temp : 3K/4K



Spl Offer



**LF-LL-738**


Power : 30x0.1w  
Type : Adjustable

Body Colour : Chrome  
Light Source : Cree  
Colour Temp : 3K

**PICTURE LIGHTS**




New



**LF-LL-1298**

Power : 22w  
Size : 550x50x172mm

Body Colour : Chrome  
Colour Temp : 3K  
Light Source : Osram



New

**LF-LL-1297**

Power : 12w  
Size : 473x55mm

Body Colour : Chrome, SS, AB  
Colour Temp : 3K  
Light Source : Osram



**LF-LL-3055**

Power : 8w  
Size : 360x120x200mm

Body Colour : Satin Nickel, Antique Brass  
Colour Temp : 3K  
Light Source : Osram


**LF-LL-3056**

Power : 12w  
Size : 450x120x200mm

**LF-LL-3057**

Power : 18w  
Size : 700x120x200mm

New



**LF-LL-256**

Power : 6w  
Size : 150x50x145mm

Body Colour : White  
Colour Temp : 3K  
Light Source : Samsung

# SIDE READING LIGHTS



Available Colour Temperature Range

## LF-LL-1857

Power : 3w  
Size : 140x32mm

Body Colour : Antique Copper  
Antique Gold - Black  
Light Source : Cree  
Colour Temp : 3K

3K



Available Colour Temperature Range

## LF-LL-1860

Power : 3w  
Size : 60x60x430mm

Body Colour : Antique Brass  
Light Source : Cree  
Colour Temp : 3K

3K



Spl Offer


Available Colour Temperature Range

## LF-LL-630

Power : 3w

Body Colour : White  
Light Source : Cree  
Colour Temp : 4K

4K



New

Available Colour Temperature Range

## LF-LL-2990

Power : 10w  
Size : 105x32x108mm

Body Colour : Antique Brass-Black  
Colour Temp : 3K/4K  
Light Source : Osram

4K

3K



Spl Offer

Available Colour Temperature Range

## LF-LL-1208

Power : 1x3w

Body Colour : Champagne Gold  
Colour Temp : 3K  
Light Source : Osram

3K

# COMMERCIAL PENDANT LIGHTS



Available Colour Temperature Range

## LF-LL-734

Power : 7w  
Size : 120x1370mm

Body Colour : White  
Light Source : Lumileds  
Colour Temp : 3K

3K



Available Colour Temperature Range

## LF-LL-892

Power : 3x4.5w  
Size : 300x1200mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K

3K




Available Colour Temperature Range

## LF-LL-895

Power : 4.5w  
Size : 145x1200mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K


3K



## LF-LL-891

Power : 4.5w  
Size : 125x110x1200mm


Body Colour : Black  
Light Source : Cree  
Colour Temp : 3K



## LF-LL-897

Power : 3-8x0.5w  
Size : 345x1200mm


Body Colour : White  
Light Source : Cree  
Colour Temp : 3K



## LF-LL-1463

Power : 2x18w  
Size : 914x80x1200mm


Body Colour : White  
Light Source : Cree  
Colour Temp : 3K



## LF-LL-722

Power : 207w  
Size : 1230x380mm


Body Colour : White  
Light Source : Epistar  
Colour Temp : 3K



## LF-LL-720

Power : 56.6w  
Size : 545mm


Body Colour : Matt Black  
Light Source : Cree  
Colour Temp : 3K



## LF-LL-721

Power : 25.2w  
Size : 309mm


Body Colour : White  
Light Source : Cree  
Colour Temp : 3K



## LF-LL-632

Power : 7.5w


Body Colour : White  
Light Source : Cree  
Colour Temp : 3K



## LF-LL-129

Power : 8x1w

Body Colour : Chrome  
Light Source : Cree  
Colour Temp : 3K



## LF-LL-1212/1213


Power : 5w/7w  
Size : 200mm/300mm

Body Colour : White  
Light Source : Cree  
Colour Temp : 3K

# COMMERCIAL PENDANT LIGHTS




Spl Offer




## LF-LL-471

Power : 16.5x6w

Body Colour : Silver  
Light Source : Cree  
Colour Temp : 3K




Spl Offer




## LF-LL-440

Power : 35w

Body Colour : Matt White  
Light Source : Cree  
Colour Temp : 4K




Spl Offer



## LF-LL-896

Power : 4-8x0.5w


Body Colour : Matt White and  
Inside Gold  
Light Source : Cree  
Colour Temp : 3K



## LF-LL-1395

Power : 4.8w/mtr  
Width : 8mm


Beam Angle : 120°  
Light Source : Sanan Chip  
Copper base  
Type : 2835-60LED  
Colour Temp : 3K/4K/6K



## LF-LL-1396

Power : 6.5w/mtr  
Width : 8mm


Beam Angle : 120°  
Light Source : Sanan Chip  
Copper base  
Type : 2835-120LED  
Colour Temp : 3K/4K/6K



## LF-LL-1397

Power : 6.5w/mtr  
Width : 5mm


Beam Angle : 120°  
Light Source : Sanan Chip  
Copper base  
Type : 2835-120LED  
Colour Temp : 3K/4K/6K



## LF-LL-1399

Power : 10w/mtr  
Width : 10mm

Beam Angle : 120°  
Light Source : Sanan Chip  
Copper base  
Type : 2835-180LED  
Colour Temp : 3K/4K/6K




## LF-LL-1400

Power : 19.6w/mtr  
Width : 10mm

Beam Angle : 120°  
Light Source : Sanan Chip  
Copper base  
Type : 2835-240LED  
Colour Temp : 3K/4K/6K



## NEON FLEX



## LF-LL-1451

Power : 6.5w/mtr  
Width : 6mm

Beam Angle : 120°  
Light Source : Sanan Chip  
Copper base  
Type : 2835-120LED  
Colour Temp : 3K/6K







### LF-LL-1906 / 1907

Power : 6.5w per mtr/10w per mtr  
Width : 8mm

Beam Angle : 120°  
Light Source : Sanan Chip, Copper base  
Type : 2835-120 / 180 LED Tunable Dimmable

**Tunable Dimmable** : 3K-4K-6K




### COB Strip

### LF-LL-2900 24V

Power : 6.5w/mtr

Beam Angle : 120°  
Light Source : Sanan Chip  
Copper base  
Type : 2835-120LED  
Colour Temp : 3K/4K/6K



## 12V CONSTANT VOLTAGE DRIVERS



### LF-LL-1452

Power : 12v 30w  
Type : 2 AMPS

IP Rating : IP 20



### LF-LL-1403

Power : 12v 60w  
Type : 5 AMPS

IP Rating : IP 20



### LF-LL-1404

Power : 12v 100w  
Type : 8.3 AMPS

IP Rating : IP 20



### LF-LL-1405

Power : 12v 150w  
Type : 12.5 AMPS

IP Rating : IP 20



### LF-LL-1406

Power : 12v 200w  
Type : 16.5 AMPS


IP Rating : IP 20



### 10/20 Amp CCT Strip Controller

Size : 100x39x25mm  
Voltage : 12/24V


# DECORATIVE LIGHTS



**LF-LL-3059**

Power : 70w/90w  
 Mounting : Suspended Hanging  
 Housing : Black/ White/Gold Silver  
 Material : Aluminium Extrusion  
 PC cover  
 Colour Temp : 3K/4k/6k


**Size : 300x600mm**  
**300x900mm**



**LF-LL-3060**



Power : 30w/40w  
 Size : 450mm/600mm  
 Mounting : Suspended Hanging  
 Housing : Aluminium Extrusion & PC Cover  
 Colour Temp : 3K/4k/6k

**450mm**  
**600mm**



**LF-LL-3061**

Power : 240w  
 Size : 300x300x1800mm  
 Mounting : Suspended/Floor  
 Housing : Aluminium Extrusion & PC Cover  
 Colour Temp : 3K/4k/6k



## LF-LL-3062 / 3062A

Power : 50w/80w  
 Size : 600x600mm / 750x750mm  
 Mounting : Ceiling  
 Housing : Aluminium Body  
 Colour Temp : 3K/4k/6k  
 Light Source : Rigid PCB


Colour : White/Black  
 Beam Angle : 120°



## LF-LL-3058

Power : 350w  
 Cutout : Ø300(bottom ring)+600+750+450  
 +600+600+300+600  
 +750+450+450mm(top ring)  
 Mounting : Suspended-11step  
 Colour Temp : 3K/4k/6k



New



## LF-LL-3063

Power : 60w  
 Size : 750x300mm  
 Mounting : Ceiling  
 Housing : Aluminium  
 Acrylic Lens  
 Colour Temp : 3K/4k/6k  
 Light Source : Rigid PCB



New



## LF-LL-3064

Power : 100w  
 Size : L600xB100xH330mmx2  
 Mounting : Ceiling Hanging  
 Housing : Aluminium  
 Acrylic Lens  
 Colour Temp : 3K/4k/6k


New



## LF-LL-3064

Power : 50w  
 Size : L900xH330mm  
 Mounting : Ceiling Hanging  
 Housing : Aluminium  
 Acrylic Lens  
 Colour Temp : 3K/4k/6k

New



# DECORATIVE LIGHTS



**LF-DD-0643**

Oxide-Concrete

Size : 600x120x120mm



**LF-DD-0161** Feather Cement wall with Rupture Shade

Concrete


Size : 460x460x360mm



**LF-DD-0538** Floor Cork Tree

Cork

Size : 240x410x1570mm



**LF-DD-1137** Faux Cement Banana Weave

Fiber Fables

Size : 235x235x470mm




**LF-DD-1569** Clover Dahlia

Banana Paper

Size : 900x600mm

New



**LF-DD-0469** Feather Cement  
Concrete  
Size : 300x220mm




**LF-DD-1332** Hand Crafted Banana  
Paper Pendant  
Banana Paper  
Size (S) : 340x340x500mm

New

\*Available in  
Small, Medium & large Sizes



**LF-DD-0540** Wall Cork Wrap Light  
Cork  
Size : 260x160x260mm



**LF-DD-0524** Pigment Feather Cement  
Oxide-Concrete  
Size : 300x300x270mm



**LF-DD-1016** Faux Cement Mesh with  
Water Hyacith  
Fiber Fables  
Size : 460x460x350mm



# DECORATIVE LIGHTS



**LF-DD-0265** Feather Cement & Pine Wood  
Concrete  
Size : 90x80x225mm



**LF-DD-0999** Faux Cement with Banana Fibre Rope  
Fiber Fables  
Size : 460x460x350mm



**LF-DD-1568** Handcrafted Banana Paper  
Floor Lamp with Brass Stand  
Banana Paper  
Size : 500x500x1850mm




**LF-DD-0718**  
Oxide-Concrete  
Size : 460x460x330mm



**LF-DD-0542** Cork Weaved Drum Pendant  
Cork  
Size : 400x400x210mm





**OUTDOOR**  
**LIGHTS**

# BOLLARDS




## LF-LL-595

Power : 10w

Body Colour : Graphite Grey  
 Light Source : Osram  
 IP Rating : IP 54

**300mm**  
**500mm**  
**800mm**



## LF-LL-277


Power : 10w  
 Size : 200mm

Body Colour : Graphite Grey  
 Light Source : Bridgelux  
 IP Rating : IP 54



## LF-LL-278


Power : 10w  
 Size : 650mm / 800mm



## LF-LL-1464

Power : 8w


Body Colour : Graphite Grey  
 Light Source : Edison  
 IP Rating : IP 65  
 Size (H) : 400mm



## LF-LL-467

Power : 6w


Body Colour : Graphite Grey  
 Light Source : Osram  
 IP Rating : IP 54  
 Size (H) : 500mm  
 800mm



## LF-LL-604

Power : 9w

Body Colour : Graphite Grey  
 Light Source : Cree  
 IP Rating : IP 54  
 Size (H) : 500mm




## LF-LL-1535

Power : 17w  
 Size : 500mm

Body Colour : Graphite Grey  
 Light Source : Osram  
 IP Rating : IP 54

## LF-LL-1535A

Power : 10w  
 Size : 300mm/500mm




## LF-LL-593


Power : 7w  
 Size : 500mm

Body Colour : Graphite Grey  
 Light Source : Osram  
 IP Rating : IP 54

## LF-LL-594

Power : 7w  
 Size : 800mm






**LF-LL-518**

Power : 7w

Body Colour : Graphite Grey  
 Light Source : Osram  
 IP Rating : IP 54  
 Size (H) : 500mm

800mm




**Spl Offer**

**LF-LL-546/592**

Power : 6w

Body Colour : Graphite Grey  
 Light Source : Cree  
 IP Rating : IP 54  
 Size (H) : 500mm

800mm




**Spl Offer**

**LF-LL-253**

Power : 3x3w

Body Colour : Graphite Grey  
 Light Source : Cree  
 IP Rating : IP 54  
 Size (H) : 580mm



**LF-LL-1521**

Power : 12.2 w x 2  
 Light Source : SEOUL  
 Body Colour : Graphite Gray  
 IP Rating : IP 54  
 Size (H) : 750mm

Modern and Versatile Bollard where the 2 light heads can be rotated over 350° resulting in Up Down or Side light effects

# BOLLARDS



Available Colour Temperature Range

**LF-LL-1534**

Power : 14w

---

Body Colour : Graphite Grey  
Light Source : Lexstar  
IP Rating : IP 54  
Size (H) : 650mm




Available Colour Temperature Range

**LF-LL-918/919**

Power : 9w

---

Body Colour : Graphite Grey  
Light Source : Osram  
IP Rating : IP 54  
Size (H) : 500mm  
800mm




Available Colour Temperature Range

**LF-LL-461**

Power : 6w

---

Body Colour : Graphite Grey  
Light Source : Osram  
IP Rating : IP 54  
Size (H) : 500mm  
800mm



Available Colour Temperature Range

**LF-LL-1385**

Power : 10w & 5w side strip

---

Body Colour : Dark Grey  
Light Source : Osram  
IP Rating : IP 54  
Size (H) : 600mm



New

Bluetooth Connectivity


Available Colour Temperature Range

**LF-LL-3065**

Power : 19w

---

Body Colour : Dark Grey  
Light Source : Seoul  
IP Rating : IP 54  
Size (H) : 740mm



New


Available Colour Temperature Range

**LF-LL-3066**

Power : 5w

---

Body Colour : Dark Grey  
Light Source : Teen  
IP Rating : IP 65  
Size (H) : 600mm



New


Available Colour Temperature Range

**LF-LL-3067**

Power : 17.8w

---

Body Colour : Graphite Grey  
Light Source : Seoul  
IP Rating : IP 54  
Size (H) : 715mm



New

Available Colour Temperature Range

**LF-LL-3068**

Power : 12w

---

Body Colour : Dark Grey  
Light Source : Bridgelux  
IP Rating : IP 54  
Size (H) : 300mm  
500mm  
800mm



New

Available Colour Temperature Range


**LF-LL-514**

Power : 12w

---

Body Colour : Dark Grey  
Light Source : Cree  
IP Rating : IP 54  
Size (H) : 700mm  
Beam Angle : 150°



**LF-LL-3070**

Power : 7w


Body Colour : Dark Grey  
Light Source : Bridgelux  
IP Rating : IP 54  
Size (H) : 600mm

900mm

**New**

Available Colour Temperature Range

3K



**LF-LL-3071**

Power : 20w


Body Colour : Dark Grey  
Light Source : Osram  
IP Rating : IP 54  
Size (H) : 300mm

600mm

**New**

Available Colour Temperature Range

3K



**LF-LL-3097**

Power : 10w

Body Colour : Dark Grey  
Light Source : Edison  
IP Rating : IP 65  
Size (H) : 600mm

Ø140x20mm  
800mm

**New**

Available Colour Temperature Range

3K



**LF-O-365/366/369**

Power : 13w

Body Colour : Graphite Grey  
Light Source : E-27 CFL/LED  
IP Rating : IP 54  
Size (H) : 300mm  
500mm  
800mm

**New**

Available Colour Temperature Range

3K



**LF-LL-3355**

Power : 7w

Body Colour : Dark Grey  
Light Source : Cree  
IP Rating : IP 65  
Size : 120x60xH600mm

**New**

Available Colour Temperature Range

3K



**LF-O-385/386/387**

Power : 23w

Body Colour : Graphite Grey  
Light Source : E-27 CFL/LED  
IP Rating : IP 54  
Size (H) : 300mm  
500mm  
800mm

**New**

Available Colour Temperature Range

3K



**LF-O-367/368/370**

Power : 13w


Body Colour : Graphite Grey  
Light Source : E-27 CFL/LED  
IP Rating : IP 54  
Size (H) : 300mm  
500mm  
800mm

**New**

Available Colour Temperature Range

3K


# BOLLARDS



## LF-LL-1555

Power : 15w

Body Colour : Dark Grey  
 Light Source : E-27 CFL/LED  
 IP Rating : IP 54  
 Size (H) : 500mm




## LF-0-364

Power : 13w

Body Colour : Graphite Grey  
 Light Source : E-27 CFL/LED  
 IP Rating : IP 54  
 Size (H) : 650mm



## LASER CUT MS BOLLARD



## LF-LL-1987


CUSTOMIZABLE WITH MANY DESIGNS

Power : 20w

Body Colour : Graphite Grey  
 Light Source : Osram  
 IP Rating : IP 65  
 Size (H) : 600mm



New




## SLANT BOLLARD LF-LL-3069

Power : 12w

Body Colour : Dark Grey  
 Light Source : Bridgelux  
 IP Rating : IP 54  
 Size (H) : 600mm

900mm





**LF-LL-656**

Power : 10w  
 Body Colour : Matt White  
 Light Source : Samsung  
 IP Rating : IP 54  
 Size (H) : 150x150x95mm




**LF-O-923**

Power : 13w  
 Size : 250x250x275mm  
 Body Colour : Graphite Grey  
 Light Source : E27- CFL/LED  
 IP Rating : IP 65

**LF-O-924**

Power : 13w  
 Size : 150x150x160mm




**LF-O-339**

Power : 13w  
 Size (H) : 150mm

Body Colour : Graphite Grey  
 Light Source : E-27 CFL/LED  
 IP Rating : IP 54


**LF-O-338**

Power : 13w  
 Size (H) : 220mm




**LF-LL-1985**

Power : 30w  
 Body Colour : Dark Grey  
 Diffuser : Milky  
 Size : 225x225x325mm  
 IP Rating : IP 65




**LF-LL-1986**

Power : 30w  
 Body Colour : Dark Grey  
 Diffuser : Clear  
 Size : 225x225x325mm  
 IP Rating : IP 65




**LF-LL-1990**

Power : 30w  
 Body Colour : Dark Grey  
 Diffuser : Prismatic  
 Size : 245x245x325mm  
 IP Rating : IP 65



**LF-O-363**

Power : 13w  
 Body Colour : Graphite Grey  
 Light Source : E-27 CFL/LED  
 Size : 200mm  
 IP Rating : IP 54



# GATE LIGHTS



New

Available  
Colour Temperature  
Range

## LF-O-388

Power : 15w

Material : Rot Iron  
Body Colour : Dark Grey  
Light Source : B-22 CFL/LED  
IP Rating : IP 54  
Size : 175x175x250mm

3K



New

Available  
Colour Temperature  
Range

## LF-O-389

Power : 20w

Material : Rot Iron  
Body Colour : Dark Grey  
Light Source : B-22 CFL/LED  
IP Rating : IP 54  
Size : 215x215x290mm

3K



New

Available  
Colour Temperature  
Range

## LF-O-927

Power : 20w

Body Colour : Dark Grey  
Light Source : E-27 CFL/LED  
IP Rating : IP 54  
Size : Ø225xH220mm

3K



New

Available  
Colour Temperature  
Range

## LF-LL-3081

Power : 20w 30w  
Size : 180x180x230mm 270x270x230mm

Body Colour : Dark Grey  
Diffuser : Milky  
Light Source : Osram  
IP Rating : IP 54  
Driver : Fulham

3K



New

Available  
Colour Temperature  
Range

## LF-O-928

Power : 20w

Body Colour : Dark Grey  
Light Source : E-27 CFL/LED  
IP Rating : IP 54  
Size : 225x225xH250mm

3K



New

Available  
Colour Temperature  
Range

## LF-LL-3082

Power : 30w

Body Colour : Dark Grey  
Diffuser : Milky  
IP Rating : IP 54  
Size : 200x200x340mm

3K



New


Available  
Colour Temperature  
Range

## LF-O-926


Power : 13w

Body Colour : Dark Grey  
Light Source : E-27 CFL/LED  
IP Rating : IP 54  
Size : 150x150xH230mm

3K



# HERITAGE GATE LIGHTS



New

Available  
Colour Temperature  
Range

## LF-O-925

Power : 13w

Material : MS Laser Cut  
Body Colour : Matt Black  
Light Source : B-22 CFL/LED  
IP Rating : IP 54  
Size : 240x300mm

3K



New

Available  
Colour Temperature  
Range

## LF-LL-3080

Power : 20w

Body Colour : Dark Grey  
Light Source : E-27 CFL/LED  
IP Rating : IP 54  
Size : 120x120xH426mm

3K



New

Available  
Colour Temperature  
Range

## LF-O-934

Power : 20w

Material : Aluminum Die Cast  
Body Colour : Black/ Antique Gold  
Light Source : B-22 CFL/LED  
IP Rating : IP 54  
Size : 190xH430mmmm

3K

# HERITAGE OUTDOOR HANGING



New

Available  
Colour Temperature  
Range

## LF-O-935

Power : 15w

Material : Aluminum  
Body Colour : Dark Grey  
Light Source : E-27 CFL/LED  
IP Rating : IP 54  
Size : 190x190xH470mm

3K



New

Available  
Colour Temperature  
Range

## LF-O-929

Power : 20w

Material : Aluminum Die Cast  
Body Colour : Antique Green  
Light Source : E-27 CFL/LED  
Size : 175x175xH480mm  
IP Rating : IP 54

3K

# WALL LIGHTS



**New**

Available Colour Temperature Range

**LF-LL-3072**

Power : 17.8w

Body Colour : Graphite Grey  
Light Source : Seoul

IP Rating : IP 54  
Size : 97x225x155mm

3K



**Turnable**

Available Colour Temperature Range

**LF-LL-1520**

Power : 23w

Body Colour : Graphite Grey  
Light Source : Seoul

IP Rating : IP 54  
Size : 100x95x213mm

3K



**New**

Available Colour Temperature Range

**LF-LL-3073**

Power : 14w

Body Colour : Graphite Grey  
Light Source : Seoul

IP Rating : IP 54  
Size : 93x146x308mm

PIR Sensor

3K



**New**

Available Colour Temperature Range

**LF-LL-3074**

Power : 13.5w

Body Colour : Graphite Grey  
Light Source : Seoul

IP Rating : IP 54  
Size : 200x160x50mm

3K



Available Colour Temperature Range

**LF-LL-1522**

Power : 16.1w

Body Colour : Graphite Grey  
Light Source : Lexstar

IP Rating : IP 54  
Size : 245x78x120mm

3K



Available Colour Temperature Range

**LF-LL-1531**

Power : 10.2w

Body Colour : Graphite Grey  
Light Source : Seoul

IP Rating : IP 54  
Size : 105x70x200mm

3K



Available Colour Temperature Range

**LF-LL-1533**

Power : 14w

Body Colour : Graphite Grey  
Light Source : Lexstar

IP Rating : IP 54  
Size : 141x80x292mm

3K



Available Colour Temperature Range

**LF-LL-1532**

Power : 17w

Body Colour : Graphite Grey  
Light Source : Seoul

IP Rating : IP 54  
Size : 124x120x200mm

3K



Available Colour Temperature Range



**LF-LL-1843**

Power : 13w

Body Colour : Graphite Grey  
Light Source : Seoul

IP Rating : IP 54  
Size : 161x141mm

3K




## LF-LL-1845

Power : 13w

Body Colour : Graphite Grey  
Light Source : Seoul  
IP Rating : IP 54  
Size : 140x140x148mm




New



## LF-LL-3075

Power : 15.2w

Body Colour : Graphite Grey  
Light Source : Seoul  
IP Rating : IP 54  
Size : 220x110x71mm




## LF-LL-1530

Power : 15w

Body Colour : Graphite Grey  
Light Source : Osram  
IP Rating : IP 54  
Size : 110x110x100mm



New




## LF-LL-3076

Power : 19.1w  
Size : 150x150x80mm

Body Colour : Graphite Grey  
Light Source : Osram  
IP Rating : IP 54

## LF-LL-3077

Power : 34w  
Size : 350x100x80mm




## LF-LL-1559

Power : 10w

Body Colour : Graphite Grey  
Light Source : Osram  
IP Rating : IP 54  
Size : 185x170x122mm



New



## LF-LL-911

Power : 12w


Body Colour : Graphite Grey  
Light Source : Lexstar  
IP Rating : IP 54  
Size : 160x100x86mm



New




Bluetooth Connectivity



## LF-LL-3078

Power : 19w

Body Colour : Graphite Grey  
Light Source : Osram  
IP Rating : IP 54  
Size : 110x83x311mm



## LF-LL-597

Power : 6w

Body Colour : Graphite, White  
Light Source : Osram  
IP Rating : IP 54  
Size : 126x132mm



# WALL LIGHTS



**LF-LL-3083**

Power : 13w

Body Colour : Graphite Grey  
Light Source : Osram

IP Rating : IP 54  
Size : 132x105x222mm

Available Colour Temperature Range

3K

New



**LF-LL-1553**

Power : 13w

Body Colour : Graphite Grey  
Light Source : Osram

IP Rating : IP 54  
Size : 226x96x65mm

Available Colour Temperature Range

3K



**LF-LL-1557**

Power : 13w

Body Colour : Graphite Grey  
Light Source : Osram

IP Rating : IP 54  
Size : 226x96x65mm

Available Colour Temperature Range

3K



**LF-LL-1466**

Power : 17w

Body Colour : Matt White  
Light Source : Edison

IP Rating : IP 54  
Size : 900x120x16mm

Available Colour Temperature Range

3K



**LF-LL-1459**

Power : 8w

Body Colour : Graphite Grey  
Light Source : Cree

IP Rating : IP 54  
Size : 275x85x83mm

Available Colour Temperature Range

3K



**LF-LL-912**


Power : 10w

Body Colour : Graphite Grey  
Light Source : Epistar

IP Rating : IP 54  
Size : 1120x45mm

Available Colour Temperature Range

3K



**LF-LL-1458**

Power : 9w

Body Colour : Graphite Grey  
Light Source : Cree

IP Rating : IP 54  
Size : 235x135x45mm

Available Colour Temperature Range

3K






Available Colour Temperature Range

**LF-LL-1556**

Power : 15w

Body Colour : Graphite Grey  
Light Source : E-27 CFL/LED  
IP Rating : IP 44  
Size : 141x90x180mm

Spl Offer

3K



Available Colour Temperature Range


**LF-LL-469**

Power : 1x7w

Body Colour : Graphite Grey  
Light Source : Cree  
IP Rating : IP 54

Spl Offer

3K



Available Colour Temperature Range


**LF-LL-915**

Power : 9w

Body Colour : Dark Grey  
Light Source : Epistar  
IP Rating : IP 54

Spl Offer

3K



Available Colour Temperature Range


**LF-LL-922**

Power : 12w

Body Colour : Graphite Grey  
Light Source : Osram  
IP Rating : IP 54

Spl Offer

3K



Available Colour Temperature Range

**LF-LL-599**

Power : 9x0.5w

Body Colour : Graphite Grey  
Light Source : Seoul  
IP Rating : IP 54

Spl Offer

3K



Available Colour Temperature Range

**LF-LL-238**

Power : 8x3w

Body Colour : Graphite Grey  
Light Source : Cree  
IP Rating : IP 54  
Size : 1120x45mm

Spl Offer

3K



Available Colour Temperature Range


**LF-O-371**

Power : 13w

Body Colour : Graphite Grey  
Light Source : E-27 CFL/LED  
IP Rating : IP 44

Spl Offer

3K



Available Colour Temperature Range

**LF-LL-596**

Power : 6w

Body Colour : Graphite Grey  
Light Source : Epistar  
IP Rating : IP 54

Spl Offer

3K



Available Colour Temperature Range

**LF-LL-754**

Power : 6w

Body Colour : Graphite Grey  
Light Source : Cree  
IP Rating : IP 54

Spl Offer

3K

# WALL LIGHTS



Spl Offer

Available Colour Temperature Range

3K

## LF-LL-598

Power : 4x1ww

Body Colour : Graphite Grey

Light Source : Seoul

IP Rating : IP 44



Spl Offer

Available Colour Temperature Range

3K

## LF-LL-334

Power : 6x1w

Body Colour : Graphite Grey

Light Source : Cree

IP Rating : IP 54



Spl Offer

Available Colour Temperature Range

3K

## LF-LL-519

Power : 6w

Body Colour : Dark Grey

Light Source : Osram

IP Rating : IP 54



Spl Offer

Available Colour Temperature Range

3K


## LF-LL-920

Power : 9w

Body Colour : Dark Grey

Light Source : Osram

IP Rating : IP 54



Spl Offer

Available Colour Temperature Range

3K

## LF-LL-921

Power : 12w

Body Colour : Dark Grey

Light Source : Epistar

IP Rating : IP 54  
1560mm



Spl Offer

Available Colour Temperature Range

3K


## LF-O-283

Power : 13w

Body Colour : Rust

Light Source : E-27 CFL/LED

IP Rating : IP 54



Spl Offer

Available Colour Temperature Range

3K


## LF-LL-608

Power : 12w (24x0.5w)

Body Colour : Graphite Grey

Light Source : Seoul


IP Rating : IP 54



## LF-LL-607

Power : 6w

Body Colour : Graphite Grey  
 Light Source : Seoul  
 IP Rating : IP 54  
 Size : 253x200x326mm




New

## LF-LL-3079

Power : 40w

Body Colour : Graphite Grey  
 Light Source : E-27  
 IP Rating : IP 44  
 Size : 122x187x402mm




New

## LF-O-932

Power : 20w

Material : Aluminum Die Cast  
 Body Colour : Dark Brown  
 Light Source : E-27 Holder  
 Size : 260 x 420mm




New

## LF-O-930

Power : Up to 40w

Material : Spun Aluminum  
 Body Colour : Crinkle Black  
 Light Source : E-27 CFL/LED  
 Size : 400x560xH610mm



## LF-O-933

Power : 15w

Material : Aluminum Die Cast  
 Light Source : B-22 CFL/LED  
 Size : 350x480mm  
 Body Colour : Black  
 Antique Gold



Downward  
Fixture

## LF-O-975




Upward  
Fixture

## LF-O-931

Power : 15w

Body Colour : Crinkle Black/ Antique Gold  
 Light Source : B-22 CFL/LED  
 IP Rating : IP 54  
 Size : 260xH430mm



New

# COLUMN WALL LIGHTS / DIRECTIONAL




Available Colour Temperature Range

**LF-LL-1548**

Power : 2x8w

Light Source : Cree  
Body Colour : Dark Grey  
IP Rating : IP 54  
Size : 65x65x120mm  
Beam Angle : 24°

3K



Available Colour Temperature Range

**LF-LL-1549**

Power : 8w

Light Source : Cree  
Body Colour : Dark Grey  
IP Rating : IP 54  
Size : 65x65x60mm  
Beam Angle : 24°

3K



Available Colour Temperature Range

**LF-LL-1554**

Power : 11w

Light Source : Osram  
Body Colour : Dark Grey  
IP Rating : IP 54  
Size : 260x80x40mm

3K




Available Colour Temperature Range

**LF-LL-727 4Way**

Power : 12w

Light Source : Cree  
Body Colour : Matt White  
IP Rating : IP 54  
Size : 88x100mm  
Beam Angle : 71°

3K



New

Available Colour Temperature Range

**LF-LL-083**

Power : 2x6w Updown

Light Source : Philips  
Body Colour : Graphite Grey  
IP Rating : IP 65  
Size : Ø40x70x240mm  
Beam Angle : 24°

3K



New

Available Colour Temperature Range

**LF-LL-084**

Power : 6w Up

Light Source : Philips  
Body Colour : Graphite Grey  
IP Rating : IP 54  
Size : Ø40x70x160mm

3K



Available Colour Temperature Range

**LF-LL-092**

Power : 3w

Light Source : Cree  
Body Colour : Graphite Grey  
IP Rating : IP 54  
Size : 80x66x75mm  
Beam Angle : 86°

3K



Available Colour Temperature Range

**LF-LL-093**

Power : 2x3w 2Way

Light Source : Cree  
Body Colour : Graphite Grey  
IP Rating : IP 54  
Size : 80x60x141mm  
Beam Angle : 87°

3K



New

Available Colour Temperature Range

Pencil Beam


**LF-LL-1002**

Power : 2x3w Up-down

Light Source : Cree-XPE  
Body Colour : Graphite Grey  
IP Rating : IP 65  
Size : 85x88x120mm

3K


# COLUMN WALL LIGHTS / DIRECTIONAL



## LF-LL-522

Power : 8w


Light Source : Lumens  
 Body Colour : Outside white  
 Golden inside  
 Size : 88x500mm  
 IP Rating : IP 54



## LF-LL-724

Power : 9w


Light Source : Lumileds  
 Body Colour : Dark Grey  
 IP Rating : IP 65  
 Size : 100x150mm



## LF-LL-1526

Power : 14w


Light Source : Seoul  
 Body Colour : Dark Grey  
 IP Rating : IP 54  
 Size : 60x180x210mm



## LF-LL-1543

Power : 14w

Light Source : Seoul  
 Body Colour : Dark Grey  
 IP Rating : IP 54  
 Size : 87x66x300mm



## LF-LL-605 4Way

Power : 5w

Light Source : Seoul  
 Body Colour : Graphite Grey  
 IP Rating : IP 54  
 Size : 187x187x47mm



## LF-LL-645

Power : 9w  
 Size : 160x120x30mm


Light Source : Sharp LED  
 Body Colour : Matt White  
 IP Rating : IP 54



## LF-LL-646

9w  
 160x120x30mm

Spl Offer



# COLUMN WALL LIGHTS / DIRECTIONAL



New

Available  
Colour Temperature  
Range

3K

## LF-LL-3084

Power : 6w

Light Source : Cree-XPE  
Body Colour : Matt White/ Black  
Size : 120x80x40mm  
IP Rating : IP 65



New


Available  
Colour Temperature  
Range

3K

## LF-LL-3085

Power : 10w

Light Source : Cree-XPE  
Body Colour : Matt White/ Black  
Size : 170x80x40mm  
IP Rating : IP 65



New

Available  
Colour Temperature  
Range


3K

## LF-LL-3086

Power : 12w

Light Source : Cree-XPE  
Body Colour : Matt White /Black  
Size : 220x80x40mm  
IP Rating : IP 65






## LF-LL-055

with water stop connector

Power : 3w


Light Source : Cree  
 Beam Angle : 30°  
 Body Colour : RIM S.S. 316  
 IP Rating : IP 67  
 Driver : External  
 Size : 53mm



## LF-LL-1332

Power : 3w

Light Source : Cree  
 Beam Angle : 25°  
 Body Colour : RIM S.S. 316  
 IP Rating : IP 67  
 Size : 50xH32mm  
 Driver : External



## LF-O-179A 2way

Power : 6w ( 2Way)

Light Source : GU 10  
 Body Colour : Matt Black  
 IP Rating : IP 54




ADJUSTABLE BEAM ANGLE

## LF-LL-2285

Power : 9w

Light Source : Cree  
 Body Colour : SS RIM 316L  
 IP Rating : IP 65  
 Size : Ø130xH133mm



## LF-LL-1373

Power : 5w  
 Size : 80xH110mm


Light Source : Cree  
 Beam Angle : 23°  
 Body Colour : RIM S.S. 316  
 IP Rating : IP 67  
 Driver : Internal

## LF-LL-1374

10w  
 Size : 95xH135mm

## LF-LL-1375

15w  
 Size : 120xH145mm



## LF-LL-770-2way

Power : 1x7w (2 WAY)

Light Source : Cree  
 Body Colour : Graphite Grey  
 IP Rating : IP 67

# SHRUB UP



## LF-LL-702

Power : 5w  
Size : 60x120x102mm

Body Colour : Graphite Grey  
Light Source : CREE  
IP Rating : IP 65  
Driver : Internal  
Beam Angle : 23°

## LF-LL-636

Power : 10w  
Size : 76x150x135mm

## LF-LL-703

Power : 15w  
Size : 96x178x175mm

Available  
Colour Temperature  
Range



## LF-LL-1465

Power : 6w

Light Source : Lumileds  
Body Colour : Dark Grey  
IP Rating : IP 65  
Size : 59x132mm  
Driver : Internal  
Beam Angle : 25°

Available  
Colour Temperature  
Range



(Base Model)

## LF-LL-644

Power : 3w  
Size : 66x45mm

Body Colour : Graphite Grey  
Light Source : CREE  
IP Rating : IP 65  
Driver : Internal  
Beam Angle : 23°



(With spike)

## LF-LL-640

Power : 7w  
Size : 100x66mm

## LF-LL-639

Power : 12w  
Size : 100x66mm

## PARCO SERIES

New

Available  
Colour Temperature  
Range



## LF-O-255 Without Lamp

Power : 5w


Light Source : GU10  
Body Colour : Matt Black  
IP Rating : IP 65  
Size : 60mm

Available  
Colour Temperature  
Range





**Spl Offer**




## LF-LL-648

Power : 6w

Light Source : Citizen  
Body Colour : Matt White  
IP Rating : IP 54




**New**



## LF-LL-3087

Power : 3w


Light Source : Cree  
Body Colour : Matt White/ Black  
IP Rating : IP 65  
Size : 30x180x44mm  
Driver : External




## LF-LL-730

Power : 3w

Light Source : Lumileds  
Size : 80x25mm  
Body Colour : Matt White  
IP Rating : IP 54  
Driver : Internal




**New**



## LF-LL-1310A

Power : 3w

Light Source : Cree  
Body Colour : Matt White/ Black/SS  
IP Rating : IP 54  
Cutout : 46  
Size : 50x70mm



## LF-LL-1468

Power : 6w

Light Source : Edison  
Size : 180x85mm  
Body Colour : White  
IP Rating : IP 54  
Driver : Internal



# STEPLIGHTS SURFACE



**LF-LL-769**

Power : 3w  
Size : 90x38x60mm

**LF-LL-799**

Power : 6w  
Size : 150x38x70mm

Body Colour : Graphite Grey  
Light Source : Bridgelux  
IP Rating : IP 54

Available Colour Temperature Range

3K



**LF-LL-1469**

Power : 4w

Light Source : Teon  
Size : 150x35mm  
Body Colour : White  
IP Rating : IP 54  
Driver : Internal

Available Colour Temperature Range

3K



**LF-LL-090**

Power : 3x1w

Light Source : Cree  
Body Colour : Graphite Grey  
IP Rating : IP 44  
Size : 160x180x25mm

Spl Offer

Available Colour Temperature Range

3K



**LF-LL-3088**

Power : 11w

Light Source : Cree  
Body Colour : Graphite Grey  
IP Rating : IP 54  
Size : 230x101x32mm  
Beam Angle : 111°

New

Available Colour Temperature Range

3K



**LF-LL-3089**

Power : 11w

Light Source : Cree  
Body Colour : Graphite Grey  
IP Rating : IP 54  
Size : 230x101x32mm

New

Available Colour Temperature Range

3K



Spl Offer

Available Colour Temperature Range

6K

### LF-LL-1205

Power : 7w

Light Source : Edison  
 Body Colour : White  
 Size :  $\Phi 85 \times H 54.5 \text{mm}$   
 IP Rating : IP 54  
 Tunable : 6K



Spl Offer

Available Colour Temperature Range

6K

### LF-LL-635

Power : 18w

Light Source : Edison  
 Body Colour : White  
 IP Rating : IP 54



Available Colour Temperature Range

3K



### LF-LL-1605

Power : 12w  
 Size : 80 x H165mm

### LF-LL-1606

Power : 20w  
 Size : 100 x H200mm

Light Source : Bridgelux  
 Body Colour : White/ Black/ Antique Brass- Black/  
 Copper- Grey  
 IP Rating : IP 65



Available Colour Temperature Range

3K

### LF-LL-523

Power : 12w

Light Source : Edison  
 Beam Angle : 80°  
 Size : 110mm  
 Body Colour : White  
 IP Rating : IP 54  
 Driver : Internal



New

Available Colour Temperature Range

3K

### LF-LL-3090

Power : 23.5w

Light Source : Edison  
 Beam Angle : 114°  
 Size :  $\Phi 260 \times 55 \text{mm}$   
 Body Colour : Dark Grey  
 IP Rating : IP 54

# STREET LIGHTS



Available Colour Temperature Range

6K  
4K  
3K

## LF-LL-1260

Power : 12w

---

Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 250x50x37mm  
 IP Rating : IP 54  
 Colour Temp : 3K/4K/6K



Available Colour Temperature Range

6K  
4K  
3K

## LF-LL-1261

Power : 20w

---

Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 350x100x60mm  
 IP Rating : IP 54  
 Colour Temp : 3K/4K/6K



Available Colour Temperature Range

6K  
4K  
3K

## LF-LL-1262

Power : 24w

---

Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 35x100x60mm  
 IP Rating : IP 54  
 Colour Temp : 3K/4K/6K




Available Colour Temperature Range

6K  
4K  
3K

## LF-LL-1263

Power : 36w

---

Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 350x145x55mm  
 IP Rating : IP 54  
 Colour Temp : 3K/4K/6K



Available Colour Temperature Range

6K  
4K  
3K

## LF-LL-1264

Power : 42w

---

Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 350x165x60mm  
 IP Rating : IP 54  
 Colour Temp : 3K/4K/6K



Available Colour Temperature Range

6K  
4K  
3K


## LF-LL-1265

Power : 50w

---

Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 350x165x60mm  
 IP Rating : IP 54  
 Colour Temp : 3K/4K/6K






## LF-LL-1266

Power : 60w


Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 415x193x55mm  
 IP Rating : IP 54  
 Colour Temp : 3K/4K/6K



## LF-LL-1267

Power : 72w


Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 415x193x55mm  
 IP Rating : IP 54  
 Colour Temp : 3K/4K/6K



## LF-LL-1268

Power : 100w


Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 505x195x65mm  
 IP Rating : IP 54  
 Colour Temp : 3K/4K/6K



## LF-LL-1269

Power : 150w

Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 575x245x75mm  
 IP Rating : IP 54  
 Colour Temp : 3K/4K/6K



## LF-LL-1270

Power : 200w

Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 685x305x70mm  
 IP Rating : IP 54  
 Colour Temp : 3K/4K/6K

# FLOOD LIGHTS



Spl Offer

Available Colour Temperature Range  
6K

## LF-LL-913

Power : 12w

Light Source : Osram  
Body Colour : Dark Grey  
IP Rating : IP 65  
Beam Angle : 25°  
Colour Temp : 6K




Spl Offer

Available Colour Temperature Range  
6K

## LF-O-272

Power : 85w LED / 250w Metal Halide

Light Source : E-40  
Body Colour : Dark Grey  
IP Rating : IP 65  
W/o Control Gear



10KV Surge Protector

Available Colour Temperature Range  
6K

## LF-LL-1444

Power : 30w  
Size : 183x199x35mm

## LF-LL-1445

50w  
Size : 235x250x40mm

## LF-LL-1446

100w  
Size : 285x300x47mm

## LF-LL-1447

150w  
Size : 333x355x53mm

## LF-LL-1448


Power : 200w  
Size : 400x448x56mm

Light Source : Epistar  
Body Colour : Graphite Grey  
IP Rating : IP 66  
Colour Temp : 3K/6K

Available Colour Temperature Range  
3K

# SURFACE

# UNDERWATER LIGHTS




## LF-LL-131

Power : 3x3w

Light Source : Cree  
 Body Colour : S.S.316 L  
 Size : Ø95x95mm  
 IP Rating : IP 68  
 Beam Angle : 30°



New




## LF-LL-133

Power : 6x3w

Light Source : Cree  
 Body Colour : S.S.316 L  
 IP Rating : IP 68  
 Size : Ø140x100mm  
 Beam Angle : 30°




New



## LF-LL-135

Power : 12x3w

Light Source : Cree  
 Body Colour : S.S.316 L  
 IP Rating : IP 68  
 Size : Ø160x100mm  
 Beam Angle : 30°




## LF-LL-103A

Power : 1x3w

Light Source : Cree  
 Body Colour : S.S.316 L  
 IP Rating : IP 68  
 Size : Ø67x70mm  
 Beam Angle : 30°


# RECESSED



## LF-LL-103

Power : 1x3w

Light Source : Cree  
 Body Colour : S.S.316 L  
 IP Rating : IP 68  
 Size : Ø67.5x103mm  
 Beam Angle : 30°




## LF-LL-056

Power : 3x3w

Light Source : Cree  
 Body Colour : S.S.316 L  
 IP Rating : IP 68  
 Size : Ø118x125mm  
 Beam Angle : 30°



New




## LF-LL-132

Power : 6x3w

Light Source : Cree  
 Body Colour : S.S.316 L  
 IP Rating : IP 68  
 Size : Ø160x103mm  
 Beam Angle : 30°



New



## LF-LL-134

Power : 12x3w

Light Source : Cree  
 Body Colour : S.S.316 L  
 IP Rating : IP 68  
 Size : Ø185x101mm  
 Beam Angle : 30°


# POST TOP LANTERNS



## LF-LL-1052

Power : 40w                      75w                      150w  
 Size : 350mm                      650mm                      650mm


Material : Aluminum Die Cast  
 Light Source : Osram  
 Body Colour : Dark Grey  
 IP Rating : IP 65  
 Driver : Internal



## LF-LL-1055    LF-LL-1386

Power : 40w                      60w  
 Size : 400mm                      600mm


Material : Aluminum Die Cast  
 Light Source : Osram  
 Body Colour : Dark Grey  
 IP Rating : IP 65  
 Driver : Internal



## LF-LL-1995

Power : 12w


Material : Aluminum Die Cast  
 Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 500mm  
 IP Rating : IP 65  
 Driver : Internal



## LF-LL-1995A

Power : 40w


Material : Aluminum Die Cast  
 Light Source : Osram  
 Body Colour : Graphite Grey  
 Size : 692x770x75mm  
 IP Rating : IP 65  
 Driver : Fulham



## LF-LL-1976

Power : 30w

Material : Aluminum Die Cast  
 Light Source : Osram  
 Body Colour : Dark Grey  
 Size : 500mm  
 IP Rating : IP 65  
 Driver : Internal





# POST TOP LANTERNS





Available Colour Temperature Range

6K  
4K  
3K

**LF-LL-1387**

Power : 35w

Material : Aluminum Die Cast  
Light Source : Osram  
Body Colour : Dark Grey  
Size : Ø600x800mm  
IP Rating : IP 65  
Driver : Internal



New

Available Colour Temperature Range

6K  
4K  
3K

**LF-LL-3093** Pole : Ø50mm  
10Kv Surge Protector

Power : 40w

Material : Aluminum Die Cast  
Light Source : Bridgelux  
Body Colour : Graphite Grey  
Size : Ø500x500mm  
IP Rating : IP 65  
Driver : Fulham



New


Available Colour Temperature Range

6K  
4K  
3K

**LF-LL-3091** Pole : Ø50mm  
10Kv Surge Protector

Power : 40w

Material : Aluminum Die Cast  
Light Source : Bridgelux  
Body Colour : Graphite Grey  
Size : Ø500x500mm  
IP Rating : IP 65  
Driver : Fulham



New


Available Colour Temperature Range

6K  
4K  
3K

**LF-LL-3092** Pole : Ø50mm

Power : 30w

Material : Aluminum Die Cast  
Light Source : Bridgelux  
Body Colour : Graphite Grey  
Size : Ø450xH500mm  
IP Rating : IP 65  
Driver : Fulham

Available Colour Temperature Range

6K  
4K  
3K

**LF-LL-1389**

Power : 40w

Material : Aluminum Die Cast  
Light Source : Osram  
Body Colour : Graphite Grey  
Size : 692x770x75mm  
IP Rating : IP 65





# LED POLES


**\*ALL POLES PRICES ON REQUEST**

Product name	Bottom Dia	Top Dia	Base Plate 2mtr - 5mtr	Base Plate 6mtr - 8mtr	Foundation set 2mtr - 4.5mtr	Foundation set 5mtr - 8mtr
Eco Square	100mm Square	60mm Square	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Linear Square Pole	100mm Square	100mm Square	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Flat Round Pole	114mm Dia	60mm Dia	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Slope Round Pole	140mm Dia	60mm Dia	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Linear Round pole	114mm Dia	114mm Dia	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Cross cut Round pole	114mm Dia	60mm Dia	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Street pole eco	90mm Dia	76mm Dia	200 x 200 x 10mm	250 x 250 x 10mm	16mm x 300mm	16mm x 450mm
Conical pole Available up to 3 mtr	140mm Dia	76mm Dia	200 x 200 x 10mm		16mm x 300mm	





New




## LF-LL-2376

Power : 1x40w, 2x40w

Light Source : Bridgelux  
 Body Colour : Grey/Black  
 Material : Rust Proof  
 Size : 100x100x600mm  
 Driver : Fulham  
 Pole Type : Square & Round



New




## LF-LL-2377

Power : 1x40w, 2x40w


Light Source : Bridgelux  
 Body Colour : Grey/Black  
 Material : Rust Proof  
 Size : 100x500x750mm  
 Driver : Fulham  
 Pole Type : Square & Round



# MODERN STYLE STREETLIGHT HEADS



New




## LF-LL-2378

Power : 2x40w

Light Source : Bridgelux  
 Body Colour : Grey/Black  
 Material : Rust Proof  
 Size : 60x122x900mm  
 Driver : Fulham  
 Pole Type : Square & Round



New




## LF-LL-2379

Power : 1x40w, 2x40w

Light Source : Bridgelux  
 Body Colour : Grey/Black  
 Material : Rust Proof  
 Size : 100x50x700mm  
 Driver : Fulham  
 Pole Type : Ø 76 Round



New



## LF-LL-2380

Power : 2x40w

Light Source : Bridgelux  
 Body Colour : Grey/Black  
 Material : Rust Proof  
 Size : 100x50x1000mm  
 Driver : Fulham  
 Pole Type : Square & Round


# MODULAR LED POLES

All Models Customizable to 3mtr, 3.6mtr, 4mtr and 4.5mtr

2 way Round, LED  
10Kv Surge Protector



New



## LF-LL-3094

Power : 40w

Light Source : Bridgelux  
Material : Rust Proof  
Body Colour : Dark Grey  
Length : 3m  
IP Rating : IP 65  
Size : Ø165mm  
Driver : Fulham


# OUTDOOR MODULAR LED POLES



Slant / Straight Perforated, LED  
10Kv Surge Protector



New



## LF-LL-3096

Power : 20w+30w=50w

Light Source : Osram  
Material : Rust Proof  
Body Colour : Dark Grey  
IP Rating : IP 65  
Length : 3m, 3.6m, 4m and 4.5m  
Size : Ø114mm  
Driver : Fulham


All Models Customizable to 3mtr, 3.6mtr, 4mtr and 4.5mtr



4 way Square Cornered, LED 10Kv Surge Protector




New



Tubular Pole




New



Bamboo Pole



New



LF-LL-3095

Power : 40w

Light Source : Bridgelux  
Material : Rust Proof  
Body Colour : Dark Grey  
Length : 3m  
Size : 150x150mm  
IP Rating : IP 65  
Driver : Fulham



LF-LL-3910

Power : 30w 50w 60w  
PC Cover (H) : 2ft 3ft 4ft

Light Source : Bridgelux  
Material : Aluminum  
Body Colour : Dark Grey  
IP Rating : IP 65  
Size : Ø100x3mt pole + light  
Driver : Fulham



LF-LL-3911

Power : 10w+20w+30w

Light Source : Bridgelux  
Material : Aluminum  
Finish : Wooden  
IP Rating : IP 65  
Size : Ø100mm x3mtr pole  
Driver : Fulham



# ARCHITECTURAL POLES


\*Every Additional 3 Mtr will cost INR 3,200 Extra



## LF-LL-1408A

Power : 30w/60w

Light Source : Osram  
 Body Colour : Dark Grey  
 Material : Aluminium  
 Size : 80x120mm  
 Height : 3 Mts



## LF-LL-1409

Power : 30w/60w


Light Source : Osram  
 Body Colour : Dark Grey  
 Material : Aluminium  
 Size : 80x120mm  
 Height : 3 Mts



## LF-LL-1410

Power : 2x30w/ 2x60w

Light Source : Osram  
 Body Colour : Dark Grey  
 Material : Aluminium  
 Size : 80x120mm  
 Height : 3 Mts








\*Every Additional 3 Mtr will cost INR 3,200 Extra



## LF-LL-1411

Power : 30w/60w

Light Source : Osram  
 Body Colour : Dark Grey  
 Material : Aluminium  
 Size : 80x120mm  
 Height : 3 Mts



## LF-LL-1412

Power : 30w/60w


Light Source : Osram  
 Body Colour : Dark Grey  
 Material : Aluminium  
 Size : 80x120mm  
 Height : 3 Mts



## LF-LL-1414

Power : 1x35w/2x35w

Light Source : Osram  
 Body Colour : Dark Grey  
 Material : Aluminium  
 Size : 76x3660mm  
 Height : 3 Mts



## LF-LL-1413

Power : 2x30w















Light Source : Osram  
 Body Colour : Dark Grey  
 Material : Aluminium  
 Size : 80x120mm  
 Height : 3 Mts

# Suggestive Lux Level

Area	Lux
Offices - conference rooms	750
Shops	
Super markets	500
Show rooms - Car & General	500
Schools - Classrooms	500
Multi-Purpose Sports Hall	
Tabel Tennis, Gymnasium, Squash	500
Hospitals	
General	300
Examination	1000
Corridors - General	150
Reception / Enquiry	300
Homes	
Living Rooms	
- Casual Rooms	150
- Desk and Prolonged Reading	300
Hotels	
Reception / Cashiers / Lobby	300
Coffee Bar / Restaurants	150

# IP Protection Codes

The IP prefix followed by two significant digits indicates the fixture's resistance to the penetration of solids and liquids safety rating (IEC 259 issue) 1st digit: against the penetration of solid body and contact with live components. 2nd digit: against penetration by liquids.

<b>IP20</b>		Protection against ingress of solids objects of $\varnothing \geq 12\text{mm}$ . No protection against water.
<b>IP40</b>		Protection against ingress of solids objects of $\varnothing \geq 1\text{mm}$ . No protection against water.
<b>IP43</b>		Protection against ingress of solids objects of $\varnothing \geq 1\text{mm}$ and against falling rain.
<b>IP44</b>		Protection against ingress of solids objects of $\varnothing \geq 1\text{mm}$ and against water splashes from all sides.
<b>IP54</b>	 	Protection against ingress of dust and water splashes from all sides.
<b>IP55</b>	 	Protection against ingress of dust and jets of water from all directions.
<b>IP64</b>	 	Protection against ingress of dust and water splashes from all directions.
<b>IP65</b>	  	Protection against ingress of dust and jets of water from all directions.
<b>IP67</b>	 	Dust - tight and protected against the effects of temporary immersion.
<b>IP68</b>	 	Water splashed against the enclosure from any direction shall have no harmful effect.

# Our Presence



## VALUED CLIENTS

Luminac work's across all industries and verticals. We have the product and version that suits your company's specific needs.

### A Few Of Our Valued Clients

#### Hospitals and Clinics



#### Showrooms



#### Developers



#### Restaurant & Clubs





## LIGHT FORM MARKETING

Plot M-11, 7th Cross , Peenya 1st Stage  
Near Peenya Police Station, Bengaluru-560058  
080 41280002 | +91 984 413 8373 | shivam@luminac.net | info@luminac.net  
For More Information visit [www.luminac.net](http://www.luminac.net)  
f @ /luminaclighting

Channel Partner



MAKE IN INDIA